





# NEW INDUSTRIAL UNITS

|                  |                         |                                                                                   |                                                                                    |  |
|------------------|-------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Voltage          | 24V                     | Mounting size                                                                     | STR8005                                                                            |  |
| Power            | 4.5Kw                   |  |  |  |
| Teeth            | 11                      |                                                                                   |                                                                                    |  |
| Pinion diameter  | 40mm                    |                                                                                   |                                                                                    |  |
| Engagement       | 105mm                   |                                                                                   |                                                                                    |  |
|                  |                         |                                                                                   |                                                                                    |  |
| Reference number |                         |                                                                                   | Applications                                                                       |  |
| HINO             | 2810078090,2810078090B, |                                                                                   | J05C                                                                               |  |
| SAWAFUJI         | 0355-502-0211           |                                                                                   |                                                                                    |  |
|                  |                         |                                                                                   |                                                                                    |  |
|                  |                         |                                                                                   |                                                                                    |  |
|                  |                         |                                                                                   |                                                                                    |  |
|                  |                         |                                                                                   |                                                                                    |  |

|                  |             |                                                                                     |                                                                                      |  |
|------------------|-------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V         | Mounting size                                                                       | STR8006                                                                              |  |
| Power            | 4.5Kw       |  |  |  |
| Teeth            | 11          |                                                                                     |                                                                                      |  |
| Pinion diameter  | 40mm        |                                                                                     |                                                                                      |  |
| Engagement       | 105mm       |                                                                                     |                                                                                      |  |
|                  |             |                                                                                     |                                                                                      |  |
| Reference number |             |                                                                                     | Applications                                                                         |  |
| NISSAN           | 22300-Z5578 |                                                                                     | FD6                                                                                  |  |
|                  |             |                                                                                     |                                                                                      |  |
|                  |             |                                                                                     |                                                                                      |  |
|                  |             |                                                                                     |                                                                                      |  |
|                  |             |                                                                                     |                                                                                      |  |
|                  |             |                                                                                     |                                                                                      |  |

|                 |       |               |         |  |
|-----------------|-------|---------------|---------|--|
| Voltage         | 24V   | Mounting size | STR8007 |  |
| Power           | 4.5Kw |               |         |  |
| Teeth           | 11    |               |         |  |
| Pinion diameter | 40mm  |               |         |  |
| Engagement      | 100mm |               |         |  |
|                 |       |               |         |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



| Reference number |                                                                                 | Applications                                                |
|------------------|---------------------------------------------------------------------------------|-------------------------------------------------------------|
| HINO             | 281001700,281001700A,281002040,281002040A,(B,C,D,E),281002041,(B),281002040,(B) | EC100 EH500 EH700<br>W06CT H06C H06CT<br>H07C H07CT(A) H07D |
|                  | 281002043,(B,C),281002044A,281001940,(A),281001941,(A,B,C,D,E),281001942,(A),   |                                                             |
|                  | 281001943,(A),281001944,(A)281001945,(A)281002275                               |                                                             |
| SAWAFUJI         | 0350-552-0310(-0311,-0330,-0331,-0332,-0333,-0334,-0335,-0336,-0337,-0338)      |                                                             |
|                  | 0350-602-0130(-0131,-0132,-0133,-0134,-0135,-0136,-0137,-0138,0139,-0150,-0132) |                                                             |
| PIC              | 186-103,186-103B                                                                |                                                             |
| WOOD AUTO        | STR29014                                                                        |                                                             |

| Voltage         | 24V   | Mounting size | STR8008 |  |
|-----------------|-------|---------------|---------|--|
| Power           | 4.5Kw |               |         |  |
| Teeth           | 11    |               |         |  |
| Pinion diameter | 40mm  |               |         |  |
| Engagement      | 105mm |               |         |  |
|                 |       |               |         |  |

| Reference number |                                                            | Applications |
|------------------|------------------------------------------------------------|--------------|
| HINO             | 281002326A,281002327E,281002622B,281002623,281002624,      | J08C         |
|                  | 2810078063                                                 |              |
| SAWAFUJI         | 03505020217,03505020512,03555020012,0355502013,0355502014, |              |
|                  | 0355502015,0355502016,03555020052                          |              |
| WOOD AUTO        | STR75605                                                   |              |
|                  |                                                            |              |
|                  |                                                            |              |

| Voltage         | 24V    | Mounting size | STR8100 |  |
|-----------------|--------|---------------|---------|--|
| Power           | 7.5Kw  |               |         |  |
| Teeth           | 11     |               |         |  |
| Pinion diameter | 47.8mm |               |         |  |
| Engagement      | 122mm  |               |         |  |
|                 |        |               |         |  |

| Reference number |                                                                             | Applications                                                          |
|------------------|-----------------------------------------------------------------------------|-----------------------------------------------------------------------|
| DENSO            | 28100021716,281001472,281001472D,281001520,281001780                        | EM100,EP100,EL100,<br>EF300,EF700,EF550,<br>EF750,EK200,M10U,<br>DS50 |
| HINO             | 281001520,(A,B,C,D),281001740A,281001780,281001780A,                        |                                                                       |
|                  | 281001781,281001782,281001783,281001784,281002181,281002196                 |                                                                       |
| SAWAFUJI         | 03506020030,03506020035,03506060036,03506020110,03506020111,03506020240,    |                                                                       |
|                  | 03506020249,03506020411,03506020562,03507020041,03507020042,03507020043,    |                                                                       |
|                  | 03507020060,03507020061,0350702014,0350702024,03507020241,03507020281,(283) |                                                                       |
| WOOD AUTO        | STR29009                                                                    |                                                                       |


**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**









|           |                   |      |
|-----------|-------------------|------|
| ISUZU     | 8944234520        | 4BJ1 |
| LUCAS     | LRS01911, LRS1911 |      |
| WOOD AUTO | STR72104          |      |
| LESTER    | 18281N            |      |
| PIC       | 104-352           |      |
| WOOD AUTO | STR72104          |      |

|                  |       |                                                                                   |                                                                                    |  |
|------------------|-------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Voltage          | 12V   | Mounting size                                                                     | STRH8413                                                                           |  |
| Power            | 2.8Kw |  |  |  |
| Teeth            | 9     |                                                                                   |                                                                                    |  |
| Pinion diameter  | 35mm  |                                                                                   |                                                                                    |  |
| Engagement       | 95mm  |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
| Reference number |       |                                                                                   | Applications                                                                       |  |
|                  |       |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |

|                  |                                                                       |                                                                                     |                                                                                      |  |
|------------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V                                                                   | Mounting size                                                                       | STRH423                                                                              |  |
| Power            | 3.5Kw                                                                 |  |  |  |
| Teeth            | 9                                                                     |                                                                                     |                                                                                      |  |
| Pinion diameter  | 35mm                                                                  |                                                                                     |                                                                                      |  |
| Engagement       | 95mm                                                                  |                                                                                     |                                                                                      |  |
|                  |                                                                       |                                                                                     |                                                                                      |  |
| Reference number |                                                                       |                                                                                     | Applications                                                                         |  |
| HITACHI          | S2403,S2403A,S2403B,S2403C,S2413,S25120,S25120A,S25121,S25121A,S25161 |                                                                                     |                                                                                      |  |
| ISUZU            | 5811001280, 5811001282, 5811001290, 8942549221, 8943205310            |                                                                                     |                                                                                      |  |
|                  | 8943334380, 8943654760, 8984333438                                    |                                                                                     |                                                                                      |  |
| LUCAS            | LRS01834, LRS1834                                                     |                                                                                     |                                                                                      |  |
| YANMAR           | 11913177010                                                           |                                                                                     |                                                                                      |  |
| WOOD AUTO        | STR72045                                                              |                                                                                     |                                                                                      |  |
|                  |                                                                       |                                                                                     |                                                                                      |  |

|                 |       |                                                                                     |                                                                                      |  |
|-----------------|-------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage         | 12V   | Mounting size                                                                       | STRH512                                                                              |  |
| Power           | 2.8Kw |  |  |  |
| Teeth           | 9     |                                                                                     |                                                                                      |  |
| Pinion diameter | 35mm  |                                                                                     |                                                                                      |  |
| Engagement      | 95mm  |                                                                                     |                                                                                      |  |
|                 |       |                                                                                     |                                                                                      |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**





| Reference number |                   | Applications |
|------------------|-------------------|--------------|
| HITACHI          | S13204            | YANMAR       |
| LUCAS            | LRS01565, LRS1565 |              |
| YANMAR           | 12990077010       |              |
| WOOD AUTO        | STR72069          |              |

| Voltage         | 24V   | Mounting size | STRH8514 |  |
|-----------------|-------|---------------|----------|--|
| Power           | 3.7Kw |               |          |  |
| Teeth           | 11    |               |          |  |
| Pinion diameter | 40mm  |               |          |  |
| Engagement      | 95mm  |               |          |  |
|                 |       |               |          |  |

| Reference number |            | Applications |
|------------------|------------|--------------|
| HITACHI          | S25514A    | 4JJ1         |
| ISUZU            | 8980450271 |              |
| WOOD AUTO        | STR72125   |              |
|                  |            |              |

| Voltage         | 12V   | Mounting size | STRH8515 |  |
|-----------------|-------|---------------|----------|--|
| Power           | 2.8Kw |               |          |  |
| Teeth           | 15    |               |          |  |
| Pinion diameter | 45mm  |               |          |  |
| Engagement      | 95mm  |               |          |  |
|                 |       |               |          |  |


| Reference number |                                                                                           | Applications   |
|------------------|-------------------------------------------------------------------------------------------|----------------|
| HITACHI          | S12777,S13124,S13132,S1324,S13294,S13332,S1394, 1394A                                     | YANMAR KA 24DE |
| LUCAS            | LRS01308                                                                                  |                |
| YANMAR           | 12913077010, 12913677010, 12913677011, 12913777012, 12940077010, 12940077011, 12940077012 |                |
| WOOD AUTO        | STR23008                                                                                  |                |

| Voltage         | 12V   | Mounting size | STRH8607 |  |
|-----------------|-------|---------------|----------|--|
| Power           | 3.0Kw |               |          |  |
| Teeth           | 9     |               |          |  |
| Pinion diameter | 36mm  |               |          |  |
| Engagement      | 95mm  |               |          |  |
|                 |       |               |          |  |


**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



| Reference number |             | Applications             |
|------------------|-------------|--------------------------|
| HITACHI          | S14102      | YANMAR 4TNV98<br>4TNV98T |
| YANMAR           | 12994077010 |                          |
| WOOD AUTO        | STR72120    |                          |
|                  |             |                          |
|                  |             |                          |

| Voltage         | 24V   | Mounting size                                                                     | STRH8810                                                                                                                                                               |  |
|-----------------|-------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Power           | 6.0Kw |  |   |  |
| Teeth           | 11    |                                                                                   |                                                                                                                                                                        |  |
| Pinion diameter | 47mm  |                                                                                   |                                                                                                                                                                        |  |
| Engagement      | 122mm |                                                                                   |                                                                                                                                                                        |  |
|                 |       |                                                                                   |                                                                                                                                                                        |  |


| Reference number |             | Applications |
|------------------|-------------|--------------|
| NISSAN           | 23300-97066 | RD8,RD10,RE8 |
| SAWAFUJI         | 03506020091 |              |
|                  |             |              |
|                  |             |              |
|                  |             |              |


| Voltage         | 24V   | Mounting size                                                                       | STRH8980                                                                                                                                                                   |  |
|-----------------|-------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Power           | 6.0Kw |  |   |  |
| Teeth           | 11    |                                                                                     |                                                                                                                                                                            |  |
| Pinion diameter | 40mm  |                                                                                     |                                                                                                                                                                            |  |
| Engagement      | 105mm |                                                                                     |                                                                                                                                                                            |  |
|                 |       |                                                                                     |                                                                                                                                                                            |  |


| Reference number |                                                                   | Applications |
|------------------|-------------------------------------------------------------------|--------------|
| HITACHI          | S21098D,S2815,S2816,S2823B,S2825,S2841,S2842                      | PD6,PE6      |
| NISSAN           | 031228011,233009500,2330095006,2330096014,2330096015,2330096016,  |              |
|                  | 2330096060,2330096065,2330096074,2330096076,2330096101,2330096501 |              |
|                  | 2330096105,2330096112,2330096114,2330096119,2330096501,2330096509 |              |
| SAWAFUJI         | 03006020022,03016020214,03506020010,03506020015,03506020021,      |              |
|                  | 03506020022,03506020200,03506020211,03506020260,03506020330,      |              |
|                  | 03506020331,03506020460,03516020012,03516020013,03506020011,      |              |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|                  |                        |                                                                                   |                                                                                    |  |
|------------------|------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Voltage          | 24V                    | Mounting size                                                                     | STRH8998                                                                           |  |
| Power            | 6.0Kw                  |  |  |  |
| Teeth            | 11                     |                                                                                   |                                                                                    |  |
| Pinion diameter  | 47mm                   |                                                                                   |                                                                                    |  |
| Engagement       | 122mm                  |                                                                                   |                                                                                    |  |
|                  |                        |                                                                                   |                                                                                    |  |
| Reference number |                        |                                                                                   | Applications                                                                       |  |
| NISSAN           | 2330097077,2330097507, |                                                                                   | RF8                                                                                |  |
| SAWAFUJI         | 03506020320            |                                                                                   |                                                                                    |  |
| WOOD AUTO        | STU75601               |                                                                                   |                                                                                    |  |
|                  |                        |                                                                                   |                                                                                    |  |
|                  |                        |                                                                                   |                                                                                    |  |
|                  |                        |                                                                                   |                                                                                    |  |

|                  |              |                                                                                    |                                                                                     |                                                                                      |
|------------------|--------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Voltage          | 24V          | Mounting size                                                                      | STRH8330                                                                            |                                                                                      |
| Power            | 4.5Kw        |  |  |  |
| Teeth            | 11           |                                                                                    |                                                                                     |                                                                                      |
| Pinion diameter  | 40mm         |                                                                                    |                                                                                     |                                                                                      |
| Engagement       | 105mm        |                                                                                    |                                                                                     |                                                                                      |
|                  |              |                                                                                    |                                                                                     |                                                                                      |
| Reference number |              |                                                                                    | Applications                                                                        |                                                                                      |
| HITACHI          | S25115,S2722 |                                                                                    | FE6,NE6,FD6                                                                         |                                                                                      |
| NISSAN           | 2330095009   |                                                                                    |                                                                                     |                                                                                      |
| WOOD AUTO        | STR72068     |                                                                                    |                                                                                     |                                                                                      |
|                  |              |                                                                                    |                                                                                     |                                                                                      |
|                  |              |                                                                                    |                                                                                     |                                                                                      |
|                  |              |                                                                                    |                                                                                     |                                                                                      |

|                  |                                         |                                                                                     |                                                                                                                                                                            |  |
|------------------|-----------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Voltage          | 12V                                     | Mounting size                                                                       | STRH8331                                                                                                                                                                   |  |
| Power            | 2.5Kw                                   |  |   |  |
| Teeth            | 15                                      |                                                                                     |                                                                                                                                                                            |  |
| Pinion diameter  |                                         |                                                                                     |                                                                                                                                                                            |  |
| Engagement       | 105mm                                   |                                                                                     |                                                                                                                                                                            |  |
|                  |                                         |                                                                                     |                                                                                                                                                                            |  |
| Reference number |                                         |                                                                                     | Applications                                                                                                                                                               |  |
| HITACHI          | S1341,S1341A,S1341B,S1341C,S1341D,S1378 |                                                                                     |                                                                                                                                                                            |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**





|            |                                        |             |
|------------|----------------------------------------|-------------|
| JOHN DEERE | AM875415,AM876224                      | FE6,NE6,FD6 |
| LUCAS      | LRS01206,LRS1206                       |             |
| TTAKEUCHI  | T12125477010,T12125477011,T12125477012 |             |
| YANMAR     | 12125477010,12125477011,12125477012    |             |
| WOOD AUTO  | STR23006                               |             |
|            |                                        |             |

| Voltage         | 24V   | Mounting size | STRM8034 |
|-----------------|-------|---------------|----------|
|                 |       |               |          |
| Power           | 3.5Kw |               |          |
| Teeth           | 11    |               |          |
| Pinion diameter | 40mm  |               |          |
| Engagement      | 100mm |               |          |


| Reference number |                   | Applications                                 |
|------------------|-------------------|----------------------------------------------|
| MITSUBISHI       | M8T87171,ME080740 | Mitsubishi 6d34<br>ENGINE<br>KOBELCO SK250LC |
| MITSUBISHI HEAVY | ME049303          |                                              |
| NEW HOLLAND      | VAME049303        |                                              |
| PIC              | 103-432           |                                              |
| DIXIE            | S-80129           |                                              |
|                  |                   |                                              |


| Voltage         | 24V   | Mounting size | STRM8055 |
|-----------------|-------|---------------|----------|
|                 |       |               |          |
| Power           | 3.2Kw |               |          |
| Teeth           | 11    |               |          |
| Pinion diameter | 40mm  |               |          |
| Engagement      | 95mm  |               |          |


| Reference number |                                         | Applications |
|------------------|-----------------------------------------|--------------|
| ISUZU            | 8971374780,8971374781,8971374782        | 4JG1,4JB1    |
| JCB              | 71434500                                |              |
| LUCAS            | LRS01962,LRS1962                        |              |
| MITSUBISHI       | M008T80371,M008T80373,M8T80371,M8T80373 |              |
| WOOD AUTO        | STR71012                                |              |
|                  |                                         |              |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|                  |                                                             |                                                                                   |                                                                                    |  |
|------------------|-------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Voltage          | 12V                                                         | Mounting size                                                                     | STRM8155                                                                           |  |
| Power            | 2.2Kw                                                       |  |  |  |
| Teeth            | 11                                                          |                                                                                   |                                                                                    |  |
| Pinion diameter  | 40mm                                                        |                                                                                   |                                                                                    |  |
| Engagement       | 95mm                                                        |                                                                                   |                                                                                    |  |
|                  |                                                             |                                                                                   |                                                                                    |  |
| Reference number |                                                             |                                                                                   | Applications                                                                       |  |
| ISUZU            | 8972047130                                                  |                                                                                   | 4JG1,4JB1                                                                          |  |
| JCB              | 71440357                                                    |                                                                                   |                                                                                    |  |
| MITSUBISHI       | M008T77071,M008T77072,M008T77075,M8T77071,M8T77072,M8T77075 |                                                                                   |                                                                                    |  |
| WOOD AUTO        | STR28017                                                    |                                                                                   |                                                                                    |  |
|                  |                                                             |                                                                                   |                                                                                    |  |
|                  |                                                             |                                                                                   |                                                                                    |  |

|                  |                                                                   |                                                                                    |                                                                                     |  |
|------------------|-------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
| Voltage          | 12V                                                               | Mounting size                                                                      | STRM8171                                                                            |  |
| Power            | 2.0Kw                                                             |  |  |  |
| Teeth            | 11                                                                |                                                                                    |                                                                                     |  |
| Pinion diameter  | 40mm                                                              |                                                                                    |                                                                                     |  |
| Engagement       | 82mm                                                              |                                                                                    |                                                                                     |  |
|                  |                                                                   |                                                                                    |                                                                                     |  |
| Reference number |                                                                   |                                                                                    | Applications                                                                        |  |
| LUCAS            | LRS01544,LRS1544                                                  |                                                                                    | FD28                                                                                |  |
| MITSUBISHI       | 3446603200,3446610202,3446610203,3446615202,3446620201,M002T56471 |                                                                                    |                                                                                     |  |
|                  | M002T56472,M002T56475,M002T60271,M002T61371,M003T64172,M005T23172 |                                                                                    |                                                                                     |  |
|                  | M2T56471,M2T56472,M2T56475,M2T60271,M2T61371,M3T64172,M5T23172    |                                                                                    |                                                                                     |  |
| WOOD AUTO        | STR71191                                                          |                                                                                    |                                                                                     |  |
|                  |                                                                   |                                                                                    |                                                                                     |  |
|                  |                                                                   |                                                                                    |                                                                                     |  |

|                  |                  |                                                                                     |                                                                                      |  |
|------------------|------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 12V              | Mounting size                                                                       | STRM8271                                                                             |  |
| Power            | 2.0Kw            |  |  |  |
| Teeth            | 11               |                                                                                     |                                                                                      |  |
| Pinion diameter  | 40mm             |                                                                                     |                                                                                      |  |
| Engagement       | 82mm             |                                                                                     |                                                                                      |  |
|                  |                  |                                                                                     |                                                                                      |  |
| Reference number |                  |                                                                                     | Applications                                                                         |  |
| LUCAS            | LRS01842,LRS1842 |                                                                                     |                                                                                      |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|            |                                                                   |         |
|------------|-------------------------------------------------------------------|---------|
| MITSUBISHI | 3446603101,3446612102,3446615101,3446620100,3446620101,3446620102 | S4F,S4E |
|            | M002T65271,M002T65272,M003T54071,M003T54072,M005T27671,M005T27672 |         |
|            | M2T65271,M2T65272,M3T54071,M3T54072,M5T27671,M5T27672             |         |
| WOOD AUTO  | STR71158                                                          |         |
|            |                                                                   |         |
|            |                                                                   |         |

| Voltage         | 24V   | Mounting size | STRM8223 |  |
|-----------------|-------|---------------|----------|--|
| Power           | 6.0Kw |               |          |  |
| Teeth           | 11    |               |          |  |
| Pinion diameter | 40mm  |               |          |  |
| Engagement      |       |               |          |  |
|                 |       |               |          |  |

| Reference number |                                      | Applications |
|------------------|--------------------------------------|--------------|
| DAEWOO           | 65262017049,65262017124,65262017124C | DAEWOO D1146 |
| VALEO            | M000A0301                            |              |
|                  |                                      |              |
|                  |                                      |              |
|                  |                                      |              |
|                  |                                      |              |


| Voltage         | 24V    | Mounting size | STRM8320 |  |
|-----------------|--------|---------------|----------|--|
| Power           | 5.0Kw  |               |          |  |
| Teeth           | 10     |               |          |  |
| Pinion diameter | 40mm   |               |          |  |
| Engagement      | 82.5mm |               |          |  |
|                 |        |               |          |  |


| Reference number |                                | Applications |
|------------------|--------------------------------|--------------|
| MITSUBISHI       | 32B6602302,M008T60471,M8T60471 |              |
| WOOD AUTO        | STR71251                       |              |
|                  |                                |              |
|                  |                                |              |
|                  |                                |              |
|                  |                                |              |


**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**





|                  |                                                                                                            |                                                                                   |                                                                                    |  |
|------------------|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Voltage          | 24V                                                                                                        | Mounting size                                                                     | STRM8321                                                                           |  |
| Power            | 5.0Kw                                                                                                      |  |  |  |
| Teeth            | 10                                                                                                         |                                                                                   |                                                                                    |  |
| Pinion diameter  | 40mm                                                                                                       |                                                                                   |                                                                                    |  |
| Engagement       | 82.5mm                                                                                                     |                                                                                   |                                                                                    |  |
|                  |                                                                                                            |                                                                                   |                                                                                    |  |
| Reference number |                                                                                                            |                                                                                   | Applications                                                                       |  |
| CATERPILLAR      | 3286600202                                                                                                 | S6S                                                                               |                                                                                    |  |
| LUCAS            | LRS02199,LRS2199                                                                                           |                                                                                   |                                                                                    |  |
| MITSUBISHI       | 32B6600200,32B6600202,32B6600203,32B6620100,M008T60371,M008T60372<br>M008T60373,M8T60371,M8T60372,M8T60373 |                                                                                   |                                                                                    |  |
| WOOD AUTO        | STR28018                                                                                                   |                                                                                   |                                                                                    |  |
|                  |                                                                                                            |                                                                                   |                                                                                    |  |


|                  |                                   |                                                                                    |                                                                                     |  |
|------------------|-----------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
| Voltage          | 24V                               | Mounting size                                                                      | STRM8360                                                                            |  |
| Power            | 7.5Kw                             |  |  |  |
| Teeth            | 12                                |                                                                                    |                                                                                     |  |
| Pinion diameter  | 47mm                              |                                                                                    |                                                                                     |  |
| Engagement       | 92mm                              |                                                                                    |                                                                                     |  |
|                  |                                   |                                                                                    |                                                                                     |  |
| Reference number |                                   |                                                                                    | Applications                                                                        |  |
| CUMMINS          | 3102763                           |                                                                                    | VOLVO                                                                               |  |
| DELCO/FORD       | 10461759,19011512,8200027,8200044 |                                                                                    |                                                                                     |  |
| MITSUBISHI       | M009T82171,M9782171,M009T2671     |                                                                                    |                                                                                     |  |
| VOLVO            | 11127679,11127679A,85000746       |                                                                                    |                                                                                     |  |
| WOOD AUTO        | STR80008                          |                                                                                    |                                                                                     |  |
| LUCAS            | LRS02537,LRS2537                  |                                                                                    |                                                                                     |  |
| LESTER           | 6826                              |                                                                                    |                                                                                     |  |


|                  |                  |                                                                                     |                                                                                      |  |
|------------------|------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V              | Mounting size                                                                       | STRM8370                                                                             |  |
| Power            | 8.0Kw            |  |  |  |
| Teeth            | 11               |                                                                                     |                                                                                      |  |
| Pinion diameter  | 40mm             |                                                                                     |                                                                                      |  |
| Engagement       | 92mm             |                                                                                     |                                                                                      |  |
|                  |                  |                                                                                     |                                                                                      |  |
| Reference number |                  |                                                                                     | Applications                                                                         |  |
| CUMMINS          | 3102765,31791000 |                                                                                     |                                                                                      |  |


**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|            |                                                    |            |
|------------|----------------------------------------------------|------------|
| DELCO/FORD | 10461756,19011509,19011523,8200032,8200039,8300016 | Delco 39MT |
| HYSTER     | 1636838                                            |            |
| LESTER     | 6852,6853                                          |            |
| WOOD AUTO  | STR80166                                           |            |
|            |                                                    |            |

|                  |              |                                                                                   |                                                                                    |  |
|------------------|--------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Voltage          | 24V          | Mounting size                                                                     | STRM8371                                                                           |  |
| Power            | 8.0Kw        |  |  |  |
| Teeth            | 12           |                                                                                   |                                                                                    |  |
| Pinion diameter  | 56mm         |                                                                                   |                                                                                    |  |
| Engagement       |              |                                                                                   |                                                                                    |  |
|                  |              |                                                                                   |                                                                                    |  |
| Reference number |              |                                                                                   | Applications                                                                       |  |
| OEM.NO           | 65261017074A | DH500                                                                             |                                                                                    |  |
|                  |              |                                                                                   |                                                                                    |  |
|                  |              |                                                                                   |                                                                                    |  |


|                  |                                                                    |                                                                                     |                                                                                      |                                                                                       |
|------------------|--------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Voltage          | 24V                                                                | Mounting size                                                                       | STRM8372                                                                             |                                                                                       |
| Power            | 8.0Kw                                                              |  |  |  |
| Teeth            | 12                                                                 |                                                                                     |                                                                                      |                                                                                       |
| Pinion diameter  | 56mm                                                               |                                                                                     |                                                                                      |                                                                                       |
| Engagement       |                                                                    |                                                                                     |                                                                                      |                                                                                       |
|                  |                                                                    |                                                                                     |                                                                                      |                                                                                       |
| Reference number |                                                                    |                                                                                     | Applications                                                                         |                                                                                       |
| CUMMINS          | 3102767                                                            | CUMMINS                                                                             |                                                                                      |                                                                                       |
| DELCO/FORD       | 10461758,19011511,19011524,8200029,8200043,8200086,8300011,8300014 |                                                                                     |                                                                                      |                                                                                       |
|                  |                                                                    |                                                                                     |                                                                                      |                                                                                       |
|                  |                                                                    |                                                                                     |                                                                                      |                                                                                       |
|                  |                                                                    |                                                                                     |                                                                                      |                                                                                       |
|                  |                                                                    |                                                                                     |                                                                                      |                                                                                       |

|                 |       |                                                                                     |                                                                                                                                                                            |  |
|-----------------|-------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Voltage         | 24V   | Mounting size                                                                       | STRM8401                                                                                                                                                                   |  |
| Power           | 5.0Kw |  |   |  |
| Teeth           | 13    |                                                                                     |                                                                                                                                                                            |  |
| Pinion diameter | 46mm  |                                                                                     |                                                                                                                                                                            |  |
| Engagement      | 90mm  |                                                                                     |                                                                                                                                                                            |  |
|                 |       |                                                                                     |                                                                                                                                                                            |  |


**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



| Reference number |                                           | Applications |
|------------------|-------------------------------------------|--------------|
| ISUZU            | 8980540630,8980703211,8980019150          | 4HK1         |
| NIKK             | 02243024,0240000148,0240000168,0240000178 |              |
| PIC              | 185-356                                   |              |
|                  |                                           |              |
|                  |                                           |              |

| Voltage         | 24V   | Mounting size                                                                     | STRM8403                                                                           |                                                                                     |
|-----------------|-------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Power           | 3.2Kw |  |  |  |
| Teeth           | 9     |                                                                                   |                                                                                    |                                                                                     |
| Pinion diameter | 35mm  |                                                                                   |                                                                                    |                                                                                     |
| Engagement      |       |                                                                                   |                                                                                    |                                                                                     |
|                 |       |                                                                                   |                                                                                    |                                                                                     |

| Reference number |                                                                                                                                                                                                       | Applications                        |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| MITSUBISHI       | M2T66871,M2T66872,M2T66873,M2T66881,M2T66882,M2T67871,M2T67871,<br>M2T67872,M2T67873,M2T67881,M2T67882,M2T67883,M2T67884,MEO17034,<br>MEO17035,MEO17036,MEO17056,MEO17061,MEO17085,MEO17088,MEO17089. | 4DR5,4D30,4D31,4D31                 |
| LUCAS            | LRS01843,LRS1843                                                                                                                                                                                      |                                     |
| LESTER           | 18241N                                                                                                                                                                                                | 4D32,4D33,4D34,4D34<br>T4,4D35,4D36 |
| PIC              | 103-373                                                                                                                                                                                               |                                     |
| DIXIE            | S-8657,243-22203                                                                                                                                                                                      |                                     |


| Voltage         | 24V   | Mounting size                                                                       | STRM8409                                                                             |                                                                                       |
|-----------------|-------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Power           | 3.2Kw |  |  |  |
| Teeth           | 9     |                                                                                     |                                                                                      |                                                                                       |
| Pinion diameter | 35mm  |                                                                                     |                                                                                      |                                                                                       |
| Engagement      | 100mm |                                                                                     |                                                                                      |                                                                                       |
|                 |       |                                                                                     |                                                                                      |                                                                                       |


| Reference number |                                                                    | Applications                                                                                                             |
|------------------|--------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| MITSUBISHI       | M2T64271,M2T64272,M3T52071,ME017001,ME017004,M002T64271,M003T52071 | MITSUBISHI<br>CANTEU(OLD)<br>FE100,FE120,T220<br>1980-82<br>CATERPILLAR<br>EXCAVATOR EL7<br>MITSUBISHI ENGINE<br>1994-ON |
| CATERPILLAR      | 859096                                                             |                                                                                                                          |
| CARGO            | 113194                                                             |                                                                                                                          |
| PIC              | 103-307                                                            |                                                                                                                          |
| DIXIE            | S-80100                                                            |                                                                                                                          |
| WOOD AUTO        | STR71192                                                           |                                                                                                                          |


**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**





|                  |                                                               |                                                                                   |                                                                                    |  |
|------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Voltage          | 24V                                                           | Mounting size                                                                     | STRM8414                                                                           |  |
| Power            | 5.0Kw                                                         |  |  |  |
| Teeth            | 14                                                            |                                                                                   |                                                                                    |  |
| Pinion diameter  | 50mm                                                          |                                                                                   |                                                                                    |  |
| Engagement       | 100mm                                                         |                                                                                   |                                                                                    |  |
|                  |                                                               |                                                                                   |                                                                                    |  |
| Reference number |                                                               |                                                                                   | Applications                                                                       |  |
| LUCAS            | LRS01920,LRS1920                                              |                                                                                   | 4D31(14T)                                                                          |  |
| MITSUBISHI       | M003T57575,M008T60271,M008T60271A,M3T57575,M8T60271,M8T60271A |                                                                                   |                                                                                    |  |
|                  | ME019911,ME049186                                             |                                                                                   |                                                                                    |  |
|                  |                                                               |                                                                                   |                                                                                    |  |
|                  |                                                               |                                                                                   |                                                                                    |  |
|                  |                                                               |                                                                                   |                                                                                    |  |

|                  |       |                                                                                    |                                                                                                                                                                          |  |
|------------------|-------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Voltage          | 24V   | Mounting size                                                                      | STRM434                                                                                                                                                                  |  |
| Power            | 5.0Kw |  |   |  |
| Teeth            | 13    |                                                                                    |                                                                                                                                                                          |  |
| Pinion diameter  | 48mm  |                                                                                    |                                                                                                                                                                          |  |
| Engagement       | 100mm |                                                                                    |                                                                                                                                                                          |  |
|                  |       |                                                                                    |                                                                                                                                                                          |  |
| Reference number |       |                                                                                    | Applications                                                                                                                                                             |  |
|                  |       |                                                                                    | 4D34(13T)<br>MITSUBISHI 6DR5                                                                                                                                             |  |
|                  |       |                                                                                    |                                                                                                                                                                          |  |
|                  |       |                                                                                    |                                                                                                                                                                          |  |
|                  |       |                                                                                    |                                                                                                                                                                          |  |
|                  |       |                                                                                    |                                                                                                                                                                          |  |
|                  |       |                                                                                    |                                                                                                                                                                          |  |

|                  |                               |                                                                                     |                                                                                      |  |
|------------------|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V                           | Mounting size                                                                       | STRM8440                                                                             |  |
| Power            | 3.2Kw                         |  |  |  |
| Teeth            | 11                            |                                                                                     |                                                                                      |  |
| Pinion diameter  | 35mm                          |                                                                                     |                                                                                      |  |
| Engagement       | 77mm                          |                                                                                     |                                                                                      |  |
|                  |                               |                                                                                     |                                                                                      |  |
| Reference number |                               |                                                                                     | Applications                                                                         |  |
| CATERPILLAR      | OR1903,1477166,1859157,OR1903 |                                                                                     |                                                                                      |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|            |                                                               |                                             |
|------------|---------------------------------------------------------------|---------------------------------------------|
| LUCAS      | LRS02192,LRS2192                                              | 4M40<br>Caterpillar Industrial<br>Equipment |
| MITSUBISHI | M008T80471,M008T80472,M008T80472A,M8T80471,M8T80472,M8T80472A |                                             |
|            | ME049372,ME108080,ME108364                                    |                                             |
| PIC        | 103-5287                                                      |                                             |
| DIXIE      | S-80048                                                       |                                             |
| WOOD AUTO  | STR71001                                                      |                                             |



| Voltage         | 12V    | Mounting size | STRM8441 |  |
|-----------------|--------|---------------|----------|--|
|                 |        |               |          |  |
| Power           | 2.0Kw  |               |          |  |
|                 |        |               |          |  |
| Teeth           | 10     |               |          |  |
|                 |        |               |          |  |
| Pinion diameter | 32.6mm |               |          |  |
|                 |        |               |          |  |
| Engagement      | 77mm   |               |          |  |
|                 |        |               |          |  |


| Reference number |                                                                  |                 |          | Applications |
|------------------|------------------------------------------------------------------|-----------------|----------|--------------|
| LUCAS            | LRS01328,LRS1328                                                 | Mitsubishi 4M40 |          |              |
| MITSUBISHI       | M008T75071,M008T75071A,M008T75073,M008T75073A,M8T75071,M8T75071A |                 |          |              |
|                  | M8T75073,M8T75073A,ME201650,ME202424,ME202970,ME204424,ME204425  |                 |          |              |
| LESTER           | 32328N                                                           |                 |          |              |
| PIC              | 103-491                                                          |                 |          |              |
| CARGO            | 112370                                                           |                 |          |              |
| DIXIE            | 243-22102                                                        | WOOD AUTO       | STR71036 |              |


| Voltage         | 24V   | Mounting size | STRM8601 |  |
|-----------------|-------|---------------|----------|--|
|                 |       |               |          |  |
| Power           | 5.0Kw |               |          |  |
|                 |       |               |          |  |
| Teeth           | 11    |               |          |  |
|                 |       |               |          |  |
| Pinion diameter | 40mm  |               |          |  |
|                 |       |               |          |  |
| Engagement      | 95mm  |               |          |  |
|                 |       |               |          |  |

| Reference number |                                                               |      |  | Applications |
|------------------|---------------------------------------------------------------|------|--|--------------|
| HITACHI          | E02GES096,H8981412061                                         | 6HK1 |  |              |
| ISUZU            | 1811003191,1811004142,1811004172,8980608540,8981412061        |      |  |              |
| MITSUBISHI       | M008T60971,M008T60972,M008T60973,M008T61371,M8T60971,M8T60972 |      |  |              |
|                  | M8T60973,M8T61371                                             |      |  |              |
| NIKKO            | 0240003041,0240003042                                         |      |  |              |
| JCB              | 71440163                                                      |      |  |              |
|                  |                                                               |      |  |              |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**

|                  |                                                                     |                                                                                   |                                                                                    |  |
|------------------|---------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Voltage          | 24V                                                                 | Mounting size                                                                     | STRM8614                                                                           |  |
| Power            | 4.5Kw                                                               |  |  |  |
| Teeth            | 11                                                                  |                                                                                   |                                                                                    |  |
| Pinion diameter  | 40mm                                                                |                                                                                   |                                                                                    |  |
| Engagement       | 110mm                                                               |                                                                                   |                                                                                    |  |
|                  |                                                                     |                                                                                   |                                                                                    |  |
| Reference number |                                                                     |                                                                                   | Applications                                                                       |  |
| LUCAS            | LRS01941,LRS1941                                                    |                                                                                   | 6D14,6D15,6D16                                                                     |  |
| MITSUBISHI       | M003T56070,M003T56071,M003T56072,M003T56073,M003T56074,M003T56075,  |                                                                                   |                                                                                    |  |
|                  | M003T56076,M003T56082,M003T56084,M004T50071,M004T50073,M004T50171,  |                                                                                   |                                                                                    |  |
|                  | M004T50177,M006T10673,M3T56070,M3T56072,M3T56073,M3T56074,M3T56075, |                                                                                   |                                                                                    |  |
|                  | M3T56076,M3T56082,M3T56084,M4T50071,M4T50073,M4T50171,M4T50177,     |                                                                                   |                                                                                    |  |
|                  | M6T10673,ME037330,ME037150,ME037465,ME077048,ME077407,ME077408      |                                                                                   |                                                                                    |  |
| VALEO            | M000A029                                                            | WOOD AUTO                                                                         | STR71051                                                                           |  |

|                  |                                                                     |                                                                                    |                                                                                     |                                                                                      |
|------------------|---------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Voltage          | 24V                                                                 | Mounting size                                                                      | STRM8616                                                                            |                                                                                      |
| Power            | 4.5Kw                                                               |  |  |  |
| Teeth            | 11                                                                  |                                                                                    |                                                                                     |                                                                                      |
| Pinion diameter  | 40mm                                                                |                                                                                    |                                                                                     |                                                                                      |
| Engagement       | 110mm                                                               |                                                                                    |                                                                                     |                                                                                      |
|                  |                                                                     |                                                                                    |                                                                                     |                                                                                      |
| Reference number |                                                                     |                                                                                    | Applications                                                                        |                                                                                      |
| LUCAS            | LRS01941,LRS1941                                                    |                                                                                    | 6D14,6D15,6D16                                                                      |                                                                                      |
| MITSUBISHI       | M003T56070,M003T56071,M003T56072,M003T56073,M003T56074,M003T56075,  |                                                                                    |                                                                                     |                                                                                      |
|                  | M003T56076,M003T56082,M003T56084,M004T50071,M004T50073,M004T50171,  |                                                                                    |                                                                                     |                                                                                      |
|                  | M004T50177,M006T10673,M3T56070,M3T56072,M3T56073,M3T56074,M3T56075, |                                                                                    |                                                                                     |                                                                                      |
|                  | M3T56076,M3T56082,M3T56084,M4T50071,M4T50073,M4T50171,M4T50177,     |                                                                                    |                                                                                     |                                                                                      |
|                  | M6T10673,ME037330,ME037150,ME037465,ME077048,ME077407,ME077408      |                                                                                    |                                                                                     |                                                                                      |
| VALEO            | M000A029                                                            | WOOD AUTO                                                                          | STR71051                                                                            |                                                                                      |

|                  |         |                                                                                     |                                                                                      |  |
|------------------|---------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V     | Mounting size                                                                       | STRM8617                                                                             |  |
| Power            | 5.0Kw   |  |  |  |
| Teeth            | 11      |                                                                                     |                                                                                      |  |
| Pinion diameter  | 40mm    |                                                                                     |                                                                                      |  |
| Engagement       | 110mm   |                                                                                     |                                                                                      |  |
|                  |         |                                                                                     |                                                                                      |  |
| Reference number |         |                                                                                     | Applications                                                                         |  |
| CATERPILLAR      | 1347023 |                                                                                     |                                                                                      |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: [waiglobal.asia@gmail.com](mailto:waiglobal.asia@gmail.com)**  
**cell: +86-13501667113 (wechat / WhatsApp)**





|            |                                            |            |
|------------|--------------------------------------------|------------|
| MITSUBISHI | M008T60071,M008T60071A,M8T60071,M8T60071A, | 6D17,FK618 |
| WOOD AUTO  | STR71202                                   |            |
|            |                                            |            |
|            |                                            |            |
|            |                                            |            |

| Voltage         | 24V   | Mounting size | STRM8622 |
|-----------------|-------|---------------|----------|
|                 |       |               |          |
| Power           | 5.0Kw |               |          |
| Teeth           | 13    |               |          |
| Pinion diameter | 55mm  |               |          |
| Engagement      | 100mm |               |          |


| Reference number |                                              | Applications |
|------------------|----------------------------------------------|--------------|
| MITSUBISHI       | M3T95071,M3T95072,M3T95073,M3T95081,M3T95082 | 6D22,6D20    |
| MITSUBISHI HEAVY | ME057990,ME057350,ME057845,MEK057845         |              |
| LESTER           | 18243N                                       |              |
| PIC              | 103-376,103-377                              |              |
| CARGO            | 112342                                       |              |
| DIXIE            | S-80057                                      |              |
| WOOD AUTO        | STR28009                                     |              |


| Voltage         | 24V   | Mounting size | STRM8624 |
|-----------------|-------|---------------|----------|
|                 |       |               |          |
| Power           | 5.5Kw |               |          |
| Teeth           | 11    |               |          |
| Pinion diameter | 49mm  |               |          |
| Engagement      | 100mm |               |          |


| Reference number |                                                          | Applications |
|------------------|----------------------------------------------------------|--------------|
| MITSUBISHI       | M9T60171,M9T60172,M009T60171,M009T60172,ME60172,ME152487 | 6D24,FP54J   |
| LUCAS            | LRS02354,LRS2354                                         |              |
| LESTER           | 18963N                                                   |              |
| PIC              | 103-506                                                  |              |
| CARGO            | 113746                                                   |              |
| DIXIE            | S-80058                                                  |              |
| WOOD AUTO        | STR71171                                                 |              |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|                  |                                                                                                                                         |                                                                                   |                                                                                                                                                                        |  |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Voltage          | 24V                                                                                                                                     | Mounting size                                                                     | STRM8630                                                                                                                                                               |  |
| Power            | 5.0Kw                                                                                                                                   |  |   |  |
| Teeth            | 10                                                                                                                                      |                                                                                   |                                                                                                                                                                        |  |
| Pinion diameter  | 41.5mm                                                                                                                                  |                                                                                   |                                                                                                                                                                        |  |
| Engagement       | 82mm                                                                                                                                    |                                                                                   |                                                                                                                                                                        |  |
|                  |                                                                                                                                         |                                                                                   |                                                                                                                                                                        |  |
| Reference number |                                                                                                                                         |                                                                                   | Applications                                                                                                                                                           |  |
| CATERPILLAR      | OR1091,1146864                                                                                                                          |                                                                                   | Forklift FD50 FD70,<br>CATE200B 320B<br>MITSUBISHI S6E<br>S6K                                                                                                          |  |
| LUCAS            | LRS01889,LRS1889                                                                                                                        |                                                                                   |                                                                                                                                                                        |  |
| MITSUBISHI       | 3436600101,3476610900,3476610902,3476610903,3476620900,3476620901<br>M3T56172,M3T56174,M3T56181,M3T56182,M3T56183,M003T56172,M003T56181 |                                                                                   |                                                                                                                                                                        |  |
| MITSUBISHI HEAVY | 34366-00101,34366-10100,34766-20901                                                                                                     |                                                                                   |                                                                                                                                                                        |  |
| PIC              | 103-375                                                                                                                                 | CARGO                                                                             |                                                                                                                                                                        |  |
| DIXIE            | S-8842                                                                                                                                  | WOOD AUTO                                                                         | STR28015                                                                                                                                                               |  |
| LESTER           | 18239N                                                                                                                                  | CAT                                                                               | OR1091,1146864                                                                                                                                                         |  |


|                  |                                                                |                                                                                     |                                                                                                        |                                                                                      |
|------------------|----------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Voltage          | 24V                                                            | Mounting size                                                                       | STRM8631                                                                                               |                                                                                      |
| Power            | 5.0Kw                                                          |  |                     |  |
| Teeth            | 11                                                             |                                                                                     |                                                                                                        |                                                                                      |
| Pinion diameter  | 41.5mm                                                         |                                                                                     |                                                                                                        |                                                                                      |
| Engagement       | 100mm                                                          |                                                                                     |                                                                                                        |                                                                                      |
|                  |                                                                |                                                                                     |                                                                                                        |                                                                                      |
| Reference number |                                                                |                                                                                     | Applications                                                                                           |                                                                                      |
| MITSUBISHI       | M2T78381,M2T78382,M2T78383,M2T78372,ME087507,ME087589,ME087590 |                                                                                     | FuS0 FK330 FuS08-8.8T<br>Kobelco Excavator<br>SK07 SK200<br>SK220LC3<br>SK200LS 6D31<br><br>Mitsubishi |                                                                                      |
|                  | ME088390,M002T78372,M002T78381,M002T78382,M002T78383           |                                                                                     |                                                                                                        |                                                                                      |
| LUCAS            | LRS01909,LRS1909                                               |                                                                                     |                                                                                                        |                                                                                      |
| PIC              | 103-381                                                        |                                                                                     |                                                                                                        |                                                                                      |
| CARGO            | 113560                                                         |                                                                                     |                                                                                                        |                                                                                      |
| DIXIE            | S-8625                                                         |                                                                                     |                                                                                                        |                                                                                      |
| WOOD AUTO        | STR28020                                                       |                                                                                     |                                                                                                        |                                                                                      |


|                  |        |                                                                                     |                                                                                      |  |
|------------------|--------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V    | Mounting size                                                                       | STRM8634                                                                             |  |
| Power            | 5.0Kw  |  |  |  |
| Teeth            | 11     |                                                                                     |                                                                                      |  |
| Pinion diameter  | 41.5mm |                                                                                     |                                                                                      |  |
| Engagement       | 100mm  |                                                                                     |                                                                                      |  |
|                  |        |                                                                                     |                                                                                      |  |
| Reference number |        |                                                                                     | Applications                                                                         |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|             |                              |                                                                                                                                  |
|-------------|------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| MITSUBISHI  | M008T87171,M8T87171,ME049303 | <b>MITSUBISHI 6D34<br/>ENGINE<br/>KOBELCO SK250LC<br/>HD1430 SUPER<br/>EXCEED<br/>FUSO FH<br/>New Holland Excavator<br/>E160</b> |
| NEW HOLLAND | VAME049303                   |                                                                                                                                  |
| PIC         | 103-432                      |                                                                                                                                  |
| DIXIE       | S-80129                      |                                                                                                                                  |
| WOOD AUTO   | STR71027                     |                                                                                                                                  |
|             |                              |                                                                                                                                  |
|             |                              |                                                                                                                                  |

|                  |       |                                                                                   |                                                                                    |  |
|------------------|-------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Voltage          | 24V   | Mounting size                                                                     | STRM8800                                                                           |  |
| Power            | 8.0Kw |  |  |  |
| Teeth            | 13    |                                                                                   |                                                                                    |  |
| Pinion diameter  | 55mm  |                                                                                   |                                                                                    |  |
| Engagement       | 100mm |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
| Reference number |       |                                                                                   | Applications                                                                       |  |
|                  |       |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |

|                  |                                                                |                                                                                     |                                                                                      |  |
|------------------|----------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V                                                            | Mounting size                                                                       | STRM8889                                                                             |  |
| Power            | 6.0Kw                                                          |  |  |  |
| Teeth            | 13                                                             |                                                                                     |                                                                                      |  |
| Pinion diameter  | 55mm                                                           |                                                                                     |                                                                                      |  |
| Engagement       | 100mm                                                          |                                                                                     |                                                                                      |  |
|                  |                                                                |                                                                                     |                                                                                      |  |
| Reference number |                                                                |                                                                                     | Applications                                                                         |  |
| HYUNDAL          | 3610072000                                                     |                                                                                     |                                                                                      |  |
| MANDO            | MG2600000                                                      |                                                                                     |                                                                                      |  |
| MITSUBISHI       | M004T95071,M004T95072,M004T95076,M004T95082,M4T95071,M4T95072, |                                                                                     |                                                                                      |  |
|                  | M4T95076,M4T95082,ME067433,ME067500,ME067677,ME067695,ME090542 |                                                                                     |                                                                                      |  |
|                  | ME090543                                                       |                                                                                     |                                                                                      |  |
| WOOD AUTO        | STR71118                                                       |                                                                                     |                                                                                      |  |
|                  |                                                                |                                                                                     |                                                                                      |  |


**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**










|  |  |
|--|--|
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |

|                  |       |                                                                                   |                                                                                    |  |
|------------------|-------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Voltage          | 12V   | Mounting size                                                                     | STRN8650                                                                           |  |
| Power            | 2.2Kw |  |  |  |
| Teeth            | 9     |                                                                                   |                                                                                    |  |
| Pinion diameter  | 35mm  |                                                                                   |                                                                                    |  |
| Engagement       | 95mm  |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
| Reference number |       |                                                                                   | Applications                                                                       |  |
|                  |       |                                                                                   | YANMAR:4TNE94                                                                      |  |
|                  |       |                                                                                   | KOMATSU:4D94E                                                                      |  |
|                  |       |                                                                                   |                                                                                    |  |

|                  |                                                                              |                                                                                     |                                                                                      |  |
|------------------|------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V                                                                          | Mounting size                                                                       | STRN8046                                                                             |  |
| Power            | 4.5Kw                                                                        |  |  |  |
| Teeth            | 11                                                                           |                                                                                     |                                                                                      |  |
| Pinion diameter  | 40mm                                                                         |                                                                                     |                                                                                      |  |
| Engagement       | 105mm                                                                        |                                                                                     |                                                                                      |  |
|                  |                                                                              |                                                                                     |                                                                                      |  |
| Reference number |                                                                              |                                                                                     | Applications                                                                         |  |
| SAWAFUJI         | 03504020110,03504020113,03504020210,03504020211,03504020327,03505520320,     |                                                                                     | HINO W04D<br>W06D                                                                    |  |
|                  | 03505520321,03505520322,03505520323,03505520324,03505520325,03505520326,(28) |                                                                                     |                                                                                      |  |
| HINO             | 281001542,281001542B,281001850A,281001850D,281001853,281001900               |                                                                                     |                                                                                      |  |
| YALE             | 14423450,14725080,901695800                                                  |                                                                                     |                                                                                      |  |
| LESTER           | 19955N                                                                       | PIC                                                                                 |                                                                                      |  |
| CARGO            | 113130                                                                       | DIXIE                                                                               | 246-25217,S-8632R                                                                    |  |
| WOOD AUTO        | STR70234                                                                     |                                                                                     |                                                                                      |  |

|                 |        |                                                                                     |                                                                                      |  |
|-----------------|--------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage         | 24V    | Mounting size                                                                       | STRN8102                                                                             |  |
| Power           | 4.5Kw  |  |  |  |
| Teeth           | 10     |                                                                                     |                                                                                      |  |
| Pinion diameter | 40.6mm |                                                                                     |                                                                                      |  |
| Engagement      | 89mm   |                                                                                     |                                                                                      |  |
|                 |        |                                                                                     |                                                                                      |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|                  |                                                                              |        |                          |
|------------------|------------------------------------------------------------------------------|--------|--------------------------|
|                  |                                                                              |        |                          |
| Reference number |                                                                              |        | Applications             |
| CUMMINS          | 3675248,3675248RX,3864298,3920644,3922474,3957592,3970101                    |        |                          |
| DENSO            | 2280000630,2280000631,2280000632,2280000633,2280000651,2280001750            |        |                          |
|                  | 2280001751,2280001752,2280004991,2280004992,2280006640,2280006670            |        |                          |
|                  | 2280009330,2280009331,4280001830                                             |        |                          |
| KOMATSU          | 6008634110,6008634130,6008634131,6008634210,6731812530,6733816510,6733826510 |        |                          |
| HYSTER           | 155880                                                                       | LESTER | 18402N                   |
| PIC              | 190-755                                                                      | DIXIE  | S-8543,S-80179,246-25216 |

| Voltage         | 24V    | Mounting size | STRN8103 |  |
|-----------------|--------|---------------|----------|--|
| Power           | 4.5Kw  |               |          |  |
| Teeth           | 11     |               |          |  |
| Pinion diameter | 40.6mm |               |          |  |
| Engagement      | 89mm   |               |          |  |
|                 |        |               |          |  |

| Reference number |  |  |  | Applications                                   |
|------------------|--|--|--|------------------------------------------------|
|                  |  |  |  | JD/JF,CUMMINS B<br>Engine<br>MAN SCANIA DIESEL |
|                  |  |  |  |                                                |
|                  |  |  |  |                                                |
|                  |  |  |  |                                                |
|                  |  |  |  |                                                |
|                  |  |  |  |                                                |
|                  |  |  |  |                                                |


| Voltage         | 24V    | Mounting size | STRN8191 |  |
|-----------------|--------|---------------|----------|--|
| Power           | 4.5Kw  |               |          |  |
| Teeth           | 11     |               |          |  |
| Pinion diameter | 40.6mm |               |          |  |
| Engagement      | 105mm  |               |          |  |
|                 |        |               |          |  |


| Reference number |                                              | Applications                      |
|------------------|----------------------------------------------|-----------------------------------|
| DAEWOO           | 65262017044A                                 |                                   |
| ISUZU            | 1811001910,1811001911,1811002531             |                                   |
| JCB              | 41740472,71440280                            |                                   |
| MISCELLANEOUS    | 7143600R                                     |                                   |
| NIKKO            | 0230001070,0230001071,02300002341,0230002342 |                                   |
| LESTER           | 18190N                                       | DIXIE<br>NS-8403,S-8403,246-25208 |
| PIC              | 190-820                                      | LUCAS<br>LRS01872                 |


**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**





|                  |                                                               |                                                                                   |                                                                                    |                                                                                     |
|------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Voltage          | 24V                                                           | Mounting size                                                                     | STRN8215                                                                           |                                                                                     |
| Power            | 4.5Kw                                                         |  |  |  |
| Teeth            | 12                                                            |                                                                                   |                                                                                    |                                                                                     |
| Pinion diameter  | 37.5mm                                                        |                                                                                   |                                                                                    |                                                                                     |
| Engagement       | 105mm                                                         |                                                                                   |                                                                                    |                                                                                     |
| Reference number |                                                               |                                                                                   | Applications                                                                       |                                                                                     |
| MAZDA            | SE4518400,SE4518400D,SEA118400,SEA118400B                     |                                                                                   | TOYOTA<br>COMMERCIAL                                                               |                                                                                     |
| MITSUBISHI       | M002T78071,M002T78072,M002T78072B,M2T78071,M2T78072,M2T78072B |                                                                                   |                                                                                    |                                                                                     |
| POONGSUNG        | 031127090,031127091,031127092                                 |                                                                                   |                                                                                    |                                                                                     |
| WOOD AUTO        | STR71215                                                      |                                                                                   |                                                                                    |                                                                                     |
|                  |                                                               |                                                                                   |                                                                                    |                                                                                     |
|                  |                                                               |                                                                                   |                                                                                    |                                                                                     |
|                  |                                                               |                                                                                   |                                                                                    |                                                                                     |



|                  |        |                                                                                    |                                                                                     |                                                                                      |
|------------------|--------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Voltage          | 24V    | Mounting size                                                                      | STRN8257                                                                            |                                                                                      |
| Power            | 5.0Kw  |  |  |  |
| Teeth            | 11     |                                                                                    |                                                                                     |                                                                                      |
| Pinion diameter  | 40.6mm |                                                                                    |                                                                                     |                                                                                      |
| Engagement       | 105mm  |                                                                                    |                                                                                     |                                                                                      |
|                  |        |                                                                                    |                                                                                     |                                                                                      |
| Reference number |        |                                                                                    | Applications                                                                        |                                                                                      |
|                  |        |                                                                                    | DH225-7,DH220-5<br>Engine                                                           |                                                                                      |
|                  |        |                                                                                    |                                                                                     |                                                                                      |
|                  |        |                                                                                    |                                                                                     |                                                                                      |
|                  |        |                                                                                    |                                                                                     |                                                                                      |
|                  |        |                                                                                    |                                                                                     |                                                                                      |
|                  |        |                                                                                    |                                                                                     |                                                                                      |
|                  |        |                                                                                    |                                                                                     |                                                                                      |


|                  |                                    |                                                                                     |                                                                                      |  |
|------------------|------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V                                | Mounting size                                                                       | STRN8270                                                                             |  |
| Power            | 4.5Kw                              |  |  |  |
| Teeth            | 11                                 |                                                                                     |                                                                                      |  |
| Pinion diameter  | 40.6mm                             |                                                                                     |                                                                                      |  |
| Engagement       | 105mm                              |                                                                                     |                                                                                      |  |
|                  |                                    |                                                                                     |                                                                                      |  |
| Reference number |                                    |                                                                                     | Applications                                                                         |  |
| DENSO            | 028000-5300,028000-5301,2280005300 |                                                                                     |                                                                                      |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|           |                          |               |
|-----------|--------------------------|---------------|
| TOYOTO    | 28100-77090              | TOYOTA Engine |
| PIC       | 190-813                  |               |
| CARGO     | 110507                   |               |
| DIXIE     | NS-8317,S-8317,246-25204 |               |
| WOOD AUTO | STR20270                 |               |
|           |                          |               |

|                  |                                                      |                                                                                   |                                                                                    |  |
|------------------|------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Voltage          | 24V                                                  | Mounting size                                                                     | STRN8402                                                                           |  |
|                  |                                                      |  |  |  |
| Power            | 4.5Kw                                                |                                                                                   |                                                                                    |  |
| Teeth            | 11                                                   |                                                                                   |                                                                                    |  |
| Pinion diameter  | 40.6mm                                               |                                                                                   |                                                                                    |  |
| Engagement       | 95mm                                                 |                                                                                   |                                                                                    |  |
|                  |                                                      |                                                                                   |                                                                                    |  |
| Reference number |                                                      |                                                                                   | Applications                                                                       |  |
| BOSCH            | 0230002201                                           |                                                                                   | PC120-6,PC100-6<br>Engine<br>4D102                                                 |  |
| ISUZU            | 8970789261,8970789263,8970789264,941717720,944545590 |                                                                                   |                                                                                    |  |
| LUCAS            | LRS01905,LRS1905                                     |                                                                                   |                                                                                    |  |
| NIKKO            | 0230001310,0230001700,0230002200                     |                                                                                   |                                                                                    |  |
|                  |                                                      |                                                                                   |                                                                                    |  |


|                  |                       |                                                                                     |                                                                                      |  |
|------------------|-----------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V                   | Mounting size                                                                       | STRN8701                                                                             |  |
| Power            | 4.5Kw                 |  |  |  |
| Teeth            | 10                    |                                                                                     |                                                                                      |  |
| Pinion diameter  | 40.6mm                |                                                                                     |                                                                                      |  |
| Engagement       | 89mm                  |                                                                                     |                                                                                      |  |
|                  |                       |                                                                                     |                                                                                      |  |
| Reference number |                       |                                                                                     | Applications                                                                         |  |
| KOMATSU          | 6008634410,6008634510 |                                                                                     | S6D102                                                                               |  |
| NIKKO            | 0240003060,0240003240 |                                                                                     |                                                                                      |  |
|                  |                       |                                                                                     |                                                                                      |  |
|                  |                       |                                                                                     |                                                                                      |  |

| Voltage         | 24V    | Mounting size | STRN8702 |  |
|-----------------|--------|---------------|----------|--|
|                 |        |               |          |  |
| Power           | 4.5Kw  |               |          |  |
| Teeth           | 11     |               |          |  |
| Pinion diameter | 40.6mm |               |          |  |
| Engagement      |        |               |          |  |
|                 |        |               |          |  |


**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



| Reference number |                                                        | Applications |
|------------------|--------------------------------------------------------|--------------|
| ISUZU            | 8972202971,8972202974,89806204102                      | 4BG1TC       |
| NIKKO            | 0240003120,0240003121,0240003250,0240003251,0240003252 |              |
|                  |                                                        |              |
|                  |                                                        |              |
|                  |                                                        |              |
|                  |                                                        |              |

| Voltage         | 24V    | Mounting size                                                                     | STRN8703                                                                           |  |
|-----------------|--------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Power           | 4.5Kw  |  |  |  |
| Teeth           | 11     |                                                                                   |                                                                                    |  |
| Pinion diameter | 40.6mm |                                                                                   |                                                                                    |  |
| Engagement      | 105mm  |                                                                                   |                                                                                    |  |
|                 |        |                                                                                   |                                                                                    |  |
|                 |        |                                                                                   |                                                                                    |  |

| Reference number |                       | Applications  |
|------------------|-----------------------|---------------|
| ISUZU            | 1811003381            | 6BG1T,6BG1MTC |
| NIKKO            | 0240003082,0240003151 |               |
|                  |                       |               |
|                  |                       |               |
|                  |                       |               |
|                  |                       |               |


| Voltage         | 24V    | Mounting size                                                                       | STRN8704                                                                             |  |
|-----------------|--------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Power           | 4.5Kw  |  |  |  |
| Teeth           | 11     |                                                                                     |                                                                                      |  |
| Pinion diameter | 40.6mm |                                                                                     |                                                                                      |  |
| Engagement      | 89mm   |                                                                                     |                                                                                      |  |
|                 |        |                                                                                     |                                                                                      |  |
|                 |        |                                                                                     |                                                                                      |  |


| Reference number |                       | Applications |
|------------------|-----------------------|--------------|
| KOMATSU          | 6008633110,6008633210 | S4D95        |
| NIKKO            | 0240000030,0240000040 |              |
|                  |                       |              |
|                  |                       |              |
|                  |                       |              |
|                  |                       |              |


**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**





|                  |                       |                                                                                   |                                                                                    |  |
|------------------|-----------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Voltage          | 24V                   | Mounting size                                                                     | STRN8705                                                                           |  |
| Power            | 4.5Kw                 |  |  |  |
| Teeth            | 11                    |                                                                                   |                                                                                    |  |
| Pinion diameter  | 40.6mm                |                                                                                   |                                                                                    |  |
| Engagement       | 95mm                  |                                                                                   |                                                                                    |  |
|                  |                       |                                                                                   |                                                                                    |  |
| Reference number |                       |                                                                                   | Applications                                                                       |  |
| ISUZU            | 1811003100,1811003290 |                                                                                   | 6HE1                                                                               |  |
| NIKKO            | 0240003051,0240003110 |                                                                                   |                                                                                    |  |
|                  |                       |                                                                                   |                                                                                    |  |
|                  |                       |                                                                                   |                                                                                    |  |
|                  |                       |                                                                                   |                                                                                    |  |
|                  |                       |                                                                                   |                                                                                    |  |

|                  |        |                                                                                    |                                                                                     |                                                                                      |
|------------------|--------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Voltage          | 24V    | Mounting size                                                                      | STRN8580                                                                            |                                                                                      |
| Power            | 4.5Kw  |  |  |  |
| Teeth            | 13     |                                                                                    |                                                                                     |                                                                                      |
| Pinion diameter  | 40.6mm |                                                                                    |                                                                                     |                                                                                      |
| Engagement       | 89mm   |                                                                                    |                                                                                     |                                                                                      |
|                  |        |                                                                                    |                                                                                     |                                                                                      |
| Reference number |        |                                                                                    | Applications                                                                        |                                                                                      |
|                  |        |                                                                                    | CASE580E                                                                            |                                                                                      |
|                  |        |                                                                                    |                                                                                     |                                                                                      |
|                  |        |                                                                                    |                                                                                     |                                                                                      |
|                  |        |                                                                                    |                                                                                     |                                                                                      |
|                  |        |                                                                                    |                                                                                     |                                                                                      |
|                  |        |                                                                                    |                                                                                     |                                                                                      |

|                  |                                             |                                                                                     |                                                                                      |  |
|------------------|---------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 12V                                         | Mounting size                                                                       | STRN8581                                                                             |  |
| Power            | 2.5Kw                                       |  |  |  |
| Teeth            | 13                                          |                                                                                     |                                                                                      |  |
| Pinion diameter  | 40.6mm                                      |                                                                                     |                                                                                      |  |
| Engagement       |                                             |                                                                                     |                                                                                      |  |
|                  |                                             |                                                                                     |                                                                                      |  |
| Reference number |                                             |                                                                                     | Applications                                                                         |  |
| CASE             | 1987559C1,86982790,87350916,A170746,A181056 |                                                                                     |                                                                                      |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|           |                                                                              |       |                  |
|-----------|------------------------------------------------------------------------------|-------|------------------|
| CUMMINS   | 3604485NW,3604485RX,3604660NW,3604660RX,3675154NW,3675154RX                  |       |                  |
|           | 3904466,3911343,3926960                                                      |       |                  |
| DENSO     | 1280000210,1280000211,1280000212,1280000213,1280000215,1280000216,1280000540 |       |                  |
|           | 1280000541,1280000542,1280000543,1280002270,1280003120,1280003121,1280003122 |       |                  |
|           | 1280004220,2280001950,2280001951,2280001953,2280002670,2280007280,9712809021 |       |                  |
| WOOD AUTO | STR30038                                                                     | LUCAS | LRS01505,LRS1505 |

CUMMINS 3.9L,5.9L

|                 |        |               |          |
|-----------------|--------|---------------|----------|
| Voltage         | 24V    | Mounting size | STRN8611 |
| Power           | 4.5Kw  |               |          |
| Teeth           | 11     |               |          |
| Pinion diameter | 40.6mm |               |          |
| Engagement      | 95mm   |               |          |
|                 |        |               |          |


| Reference number |                                            | Applications                    |
|------------------|--------------------------------------------|---------------------------------|
| DENSO            | 4280000890                                 | ISUZU 6HH 6HH1 MTC<br>FRR33 Bus |
| NIKKO            | 0240003040,0240003041,0240003042           |                                 |
| ISUZU            | 8976021691,8943941511,8943941512,898608540 |                                 |
| PIC              | 185-372                                    |                                 |
|                  |                                            |                                 |


|                 |        |               |          |
|-----------------|--------|---------------|----------|
| Voltage         | 24V    | Mounting size | STRN8620 |
| Power           | 4.5Kw  |               |          |
| Teeth           | 11     |               |          |
| Pinion diameter | 40.6mm |               |          |
| Engagement      | 105mm  |               |          |
|                 |        |               |          |


| Reference number |                                                                              | Applications      |
|------------------|------------------------------------------------------------------------------|-------------------|
| DENSO            | 0210003291,0210003660,0210003661,0230001030,0230001033,0230001670            | ISUZU Engine 6BG1 |
|                  | 0230003010,0280006200                                                        |                   |
| ISUZU            | 1811000360,1811001410,1811001890,1811001891,1811001920,1811001921,1811002530 |                   |
|                  | 1811002641,1811004110,5811000180,5811000252,5811001180,5811001390,5811001391 |                   |
|                  | 5811001560,5811001620,8811002531                                             |                   |
| NIKKO            | 0210003291,0210004470,0230001031,0230001033,0230001670,0230002340,0230003000 |                   |
| HITACHI          | S25103                                                                       |                   |
|                  | LUCAS                                                                        | LRS01872,LRS1872  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|                  |        |                                                                                   |                                                                                    |                                                                                     |
|------------------|--------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Voltage          | 24V    | Mounting size                                                                     | STRN8700                                                                           |                                                                                     |
| Power            | 4.5Kw  |  |  |  |
| Teeth            | 11     |                                                                                   |                                                                                    |                                                                                     |
| Pinion diameter  | 40.6mm |                                                                                   |                                                                                    |                                                                                     |
| Engagement       | 100mm  |                                                                                   |                                                                                    |                                                                                     |
|                  |        |                                                                                   |                                                                                    |                                                                                     |
| Reference number |        |                                                                                   | Applications                                                                       |                                                                                     |
|                  |        |                                                                                   | H06C,EH700                                                                         |                                                                                     |
|                  |        |                                                                                   |                                                                                    |                                                                                     |
|                  |        |                                                                                   |                                                                                    |                                                                                     |
|                  |        |                                                                                   |                                                                                    |                                                                                     |
|                  |        |                                                                                   |                                                                                    |                                                                                     |
|                  |        |                                                                                   |                                                                                    |                                                                                     |

|                  |        |                                                                                    |                                                                                     |  |
|------------------|--------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
| Voltage          | 24V    | Mounting size                                                                      | STRN8906                                                                            |  |
| Power            | 4.5Kw  |  |  |  |
| Teeth            | 11     |                                                                                    |                                                                                     |  |
| Pinion diameter  | 40.6mm |                                                                                    |                                                                                     |  |
| Engagement       | 105mm  |                                                                                    |                                                                                     |  |
|                  |        |                                                                                    |                                                                                     |  |
| Reference number |        |                                                                                    | Applications                                                                        |  |
|                  |        |                                                                                    | PD6                                                                                 |  |
|                  |        |                                                                                    |                                                                                     |  |
|                  |        |                                                                                    |                                                                                     |  |
|                  |        |                                                                                    |                                                                                     |  |
|                  |        |                                                                                    |                                                                                     |  |
|                  |        |                                                                                    |                                                                                     |  |

|                  |        |                                                                                     |                                                                                      |  |
|------------------|--------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V    | Mounting size                                                                       | STRN8230                                                                             |  |
| Power            | 5.5Kw  |  |  |  |
| Teeth            | 11     |                                                                                     |                                                                                      |  |
| Pinion diameter  | 40.6mm |                                                                                     |                                                                                      |  |
| Engagement       | 92mm   |                                                                                     |                                                                                      |  |
|                  |        |                                                                                     |                                                                                      |  |
| Reference number |        |                                                                                     | Applications                                                                         |  |
|                  |        |                                                                                     |                                                                                      |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**





|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |

DH300,DH220-3 Engine

|                 |        |               |          |  |
|-----------------|--------|---------------|----------|--|
| Voltage         | 24V    | Mounting size | STRN8612 |  |
| Power           | 5.5Kw  |               |          |  |
| Teeth           | 10     |               |          |  |
| Pinion diameter | 40.6mm |               |          |  |
| Engagement      | 92mm   |               |          |  |
|                 |        |               |          |  |


| Reference number |                                             |  |  | Applications |
|------------------|---------------------------------------------|--|--|--------------|
| CATERPILLAR      | 3E5381,6T0380,7C5731,8C4774,9W3748          |  |  | 6D102        |
| DENSO            | 1280005730,1280005731,1280005732,1280005733 |  |  |              |
| LUCAS            | LRS01900,LRS1900                            |  |  |              |
|                  |                                             |  |  |              |
|                  |                                             |  |  |              |
|                  |                                             |  |  |              |
|                  |                                             |  |  |              |
|                  |                                             |  |  |              |


|                 |        |               |          |  |
|-----------------|--------|---------------|----------|--|
| Voltage         | 24V    | Mounting size | STRN8305 |  |
| Power           | 5.5Kw  |               |          |  |
| Teeth           | 10     |               |          |  |
| Pinion diameter | 40.6mm |               |          |  |
| Engagement      | 92mm   |               |          |  |
|                 |        |               |          |  |

| Reference number |  |  |  | Applications                           |
|------------------|--|--|--|----------------------------------------|
|                  |  |  |  | R305,R300-5,R300-7<br>Engine<br>6CT8.3 |
|                  |  |  |  |                                        |
|                  |  |  |  |                                        |
|                  |  |  |  |                                        |
|                  |  |  |  |                                        |
|                  |  |  |  |                                        |
|                  |  |  |  |                                        |
|                  |  |  |  |                                        |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|                  |       |                                                                                   |                                                                                    |                                                                                     |
|------------------|-------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Voltage          | 24V   | Mounting size                                                                     | STRN8405                                                                           |                                                                                     |
| Power            | 5.5Kw |  |  |  |
| Teeth            | 12    |                                                                                   |                                                                                    |                                                                                     |
| Pinion diameter  | 45mm  |                                                                                   |                                                                                    |                                                                                     |
| Engagement       | 92mm  |                                                                                   |                                                                                    |                                                                                     |
|                  |       |                                                                                   |                                                                                    |                                                                                     |
| Reference number |       |                                                                                   | Applications                                                                       |                                                                                     |
|                  |       |                                                                                   | CS1292                                                                             |                                                                                     |
|                  |       |                                                                                   |                                                                                    |                                                                                     |
|                  |       |                                                                                   |                                                                                    |                                                                                     |
|                  |       |                                                                                   |                                                                                    |                                                                                     |
|                  |       |                                                                                   |                                                                                    |                                                                                     |
|                  |       |                                                                                   |                                                                                    |                                                                                     |


|                  |        |                                                                                    |                                                                                     |  |
|------------------|--------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
| Voltage          | 24V    | Mounting size                                                                      | STRN8682                                                                            |  |
| Power            | 5.5Kw  |  |  |  |
| Teeth            | 9      |                                                                                    |                                                                                     |  |
| Pinion diameter  | 40.6mm |                                                                                    |                                                                                     |  |
| Engagement       | 105mm  |                                                                                    |                                                                                     |  |
|                  |        |                                                                                    |                                                                                     |  |
| Reference number |        |                                                                                    | Applications                                                                        |  |
|                  |        |                                                                                    | 6SD1                                                                                |  |
|                  |        |                                                                                    |                                                                                     |  |
|                  |        |                                                                                    |                                                                                     |  |
|                  |        |                                                                                    |                                                                                     |  |
|                  |        |                                                                                    |                                                                                     |  |
|                  |        |                                                                                    |                                                                                     |  |


|         |       |               |          |  |
|---------|-------|---------------|----------|--|
| Voltage | 24V   | Mounting size | STRN8689 |  |
| Power   | 5.5Kw |               |          |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |



|                  |       |                                                                                   |                                                                                                                                                                        |  |
|------------------|-------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Voltage          | 24V   | Mounting size                                                                     | STRP8101                                                                                                                                                               |  |
| Power            | 7.5Kw |  |   |  |
| Teeth            | 12    |                                                                                   |                                                                                                                                                                        |  |
| Pinion diameter  | 45mm  |                                                                                   |                                                                                                                                                                        |  |
| Engagement       | 105mm |                                                                                   |                                                                                                                                                                        |  |
|                  |       |                                                                                   |                                                                                                                                                                        |  |
| Reference number |       |                                                                                   | Applications                                                                                                                                                           |  |
|                  |       |                                                                                   | ISUZU 10PC1                                                                                                                                                            |  |
|                  |       |                                                                                   |                                                                                                                                                                        |  |
|                  |       |                                                                                   |                                                                                                                                                                        |  |
|                  |       |                                                                                   |                                                                                                                                                                        |  |
|                  |       |                                                                                   |                                                                                                                                                                        |  |
|                  |       |                                                                                   |                                                                                                                                                                        |  |


|                  |                                                                   |                                                                                     |                                                                                      |  |
|------------------|-------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V                                                               | Mounting size                                                                       | STRP8150                                                                             |  |
| Power            | 5.5Kw                                                             |  |  |  |
| Teeth            | 12                                                                |                                                                                     |                                                                                      |  |
| Pinion diameter  | 46mm                                                              |                                                                                     |                                                                                      |  |
| Engagement       | 100mm                                                             |                                                                                     |                                                                                      |  |
|                  |                                                                   |                                                                                     |                                                                                      |  |
| Reference number |                                                                   |                                                                                     | Applications                                                                         |  |
| KOMATSU          | 6008133230,6008133231,6008133330,6008133460,6008133462,6008133490 |                                                                                     | PC150 Engine 6D95L                                                                   |  |
|                  | 6008136210,6008136211,6008136212                                  |                                                                                     |                                                                                      |  |
| NIKKO            | 0230001170,0230001172,0230001330,0230001530,0230002110,0230002111 |                                                                                     |                                                                                      |  |
|                  | 0230002112,0230001340                                             |                                                                                     |                                                                                      |  |
|                  |                                                                   |                                                                                     |                                                                                      |  |
|                  |                                                                   |                                                                                     |                                                                                      |  |
|                  |                                                                   |                                                                                     |                                                                                      |  |


**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**





|                  |       |                                                                                   |                                                                                    |  |
|------------------|-------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Voltage          | 24V   | Mounting size                                                                     | STRP8201                                                                           |  |
| Power            | 5.5Kw |  |  |  |
| Teeth            | 13    |                                                                                   |                                                                                    |  |
| Pinion diameter  | 46mm  |                                                                                   |                                                                                    |  |
| Engagement       | 100mm |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
| Reference number |       |                                                                                   | Applications                                                                       |  |
|                  |       |                                                                                   | Komatsu<br>PC200-1 Engine                                                          |  |
|                  |       |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |


|                  |                                                                   |                                                                                    |                                                                                     |                                                                                      |
|------------------|-------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Voltage          | 24V                                                               | Mounting size                                                                      | STRP8203                                                                            |                                                                                      |
| Power            | 5.5Kw                                                             |  |  |  |
| Teeth            | 13                                                                |                                                                                    |                                                                                     |                                                                                      |
| Pinion diameter  | 46mm                                                              |                                                                                    |                                                                                     |                                                                                      |
| Engagement       | 100mm                                                             |                                                                                    |                                                                                     |                                                                                      |
|                  |                                                                   |                                                                                    |                                                                                     |                                                                                      |
| Reference number |                                                                   |                                                                                    | Applications                                                                        |                                                                                      |
| KOMATSU          | 6008132242,6008132243,6008132251,6008132342,6008132371,6008132610 |                                                                                    | Komatsu<br>PC200-3 Engine<br>6D105                                                  |                                                                                      |
|                  | 6008133380,6008133560                                             |                                                                                    |                                                                                     |                                                                                      |
| LUCAS            | LRS01870,LRS1870                                                  |                                                                                    |                                                                                     |                                                                                      |
| NIKKO            | 0210003491,0210003783,0210004192,0230004870,0230004871,0230006340 |                                                                                    |                                                                                     |                                                                                      |
|                  |                                                                   |                                                                                    |                                                                                     |                                                                                      |
|                  |                                                                   |                                                                                    |                                                                                     |                                                                                      |
|                  |                                                                   |                                                                                    |                                                                                     |                                                                                      |

|                  |                                                                 |                                                                                     |                                                                                                                                                                            |  |
|------------------|-----------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Voltage          | 24V                                                             | Mounting size                                                                       | STRP8205                                                                                                                                                                   |  |
| Power            | 5.5Kw                                                           |  |   |  |
| Teeth            | 11                                                              |                                                                                     |                                                                                                                                                                            |  |
| Pinion diameter  | 40mm                                                            |                                                                                     |                                                                                                                                                                            |  |
| Engagement       | 105mm                                                           |                                                                                     |                                                                                                                                                                            |  |
|                  |                                                                 |                                                                                     |                                                                                                                                                                            |  |
| Reference number |                                                                 |                                                                                     | Applications                                                                                                                                                               |  |
| KOMATSU          | 6008131750,6008133320,600813350,600813360,6008134420,6008134422 |                                                                                     |                                                                                                                                                                            |  |


**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|           |                                                                    |       |                   |                                   |
|-----------|--------------------------------------------------------------------|-------|-------------------|-----------------------------------|
|           | 6008134450,6008134350,600814350,600814420,600814421                |       |                   | Komatsu<br>PC200-5 Engine<br>6D95 |
| LUCAS     | LRS02172,LRS2172                                                   |       |                   |                                   |
| NIKKO     | 0230001290,0230001410,0230001430,0230001550,0230001750,0230001752, |       |                   |                                   |
|           | 0230002080,0230002560                                              |       |                   |                                   |
| CARGO     | 110656                                                             | PIC   | 185-204,185-204A  |                                   |
| WOOD AUTO | STR29017                                                           | DIXIE | 246-30210,S-8624C |                                   |

|                 |       |                                                                                   |                                                                                    |  |
|-----------------|-------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Voltage         | 24V   | Mounting size                                                                     | STRP8300                                                                           |  |
| Power           | 7.5Kw |  |  |  |
| Teeth           | 12    |                                                                                   |                                                                                    |  |
| Pinion diameter | 46mm  |                                                                                   |                                                                                    |  |
| Engagement      |       |                                                                                   |                                                                                    |  |
|                 |       |                                                                                   |                                                                                    |  |

| Reference number |                                                                   |           |                 | Applications                                                    |
|------------------|-------------------------------------------------------------------|-----------|-----------------|-----------------------------------------------------------------|
| KOMATSU          | 6008133550,6008136410,6008136411,6008136412,6008136421,6008136510 |           |                 | 6D108/SA6D108-2<br>Engine<br>PC300-5/PC300-6/PC310/PC340LC-KU-6 |
|                  | 6008136520,6008136521,6008136530,                                 |           |                 |                                                                 |
| NIKKO            | 0230003290,0230003291,0230006310                                  |           |                 |                                                                 |
| SAWAFUJI         | 03516020410,03516020411,03516020412,03516020413,03516020420       |           |                 |                                                                 |
|                  | 03516020421,03516020422,03516020423,03516020430,03516020431       |           |                 |                                                                 |
| LESTER           | 19939SN                                                           | PIC       | 186-108,185-328 |                                                                 |
| DIXIE            | S-8952                                                            | WOOD AUTO | STR75211        |                                                                 |

|                 |       |                                                                                     |                                                                                      |  |
|-----------------|-------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage         | 24V   | Mounting size                                                                       | STRP8300-1                                                                           |  |
| Power           | 7.5Kw |  |  |  |
| Teeth           | 11    |                                                                                     |                                                                                      |  |
| Pinion diameter | 57mm  |                                                                                     |                                                                                      |  |
| Engagement      | 92mm  |                                                                                     |                                                                                      |  |
|                 |       |                                                                                     |                                                                                      |  |


| Reference number |                                                                               |  |  | Applications                            |
|------------------|-------------------------------------------------------------------------------|--|--|-----------------------------------------|
| KOMATSU          | 6008133610,6008133611,6008133710,6008133711,6008133712,6008137151,6008137152  |  |  | Komatsu Crawlers<br>6D175A 6D175 Engine |
| NIKKO            | 0230006520,0230006521,0230006522,0230006523,02300065240,0230006610,0230006611 |  |  |                                         |
| LESTER           | 19938N                                                                        |  |  |                                         |
| PIC              | 185-231,185-309                                                               |  |  |                                         |
|                  |                                                                               |  |  |                                         |
|                  |                                                                               |  |  |                                         |
|                  |                                                                               |  |  |                                         |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|         |       |               |            |  |
|---------|-------|---------------|------------|--|
| Voltage | 24V   | Mounting size | STRP8300-2 |  |
| Power   | 7.5Kw |               |            |  |


|         |      |               |          |  |
|---------|------|---------------|----------|--|
| Voltage | 24V  | Mounting size | STRP8311 |  |
| Power   | 11Kw |               |          |  |



|                  |      |                                                                                     |                                                                                      |  |
|------------------|------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V  | Mounting size                                                                       | STRP8311-1                                                                           |  |
| Power            | 11Kw |  |  |  |
| Teeth            | 11   |                                                                                     |                                                                                      |  |
| Pinion diameter  | 56mm |                                                                                     |                                                                                      |  |
| Engagement       | 92mm |                                                                                     |                                                                                      |  |
|                  |      |                                                                                     |                                                                                      |  |
| Reference number |      |                                                                                     | Applications                                                                         |  |
|                  |      |                                                                                     |                                                                                      |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**







|                  |      |                                                                                   |                                                                                    |              |
|------------------|------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------|
|                  |      |                                                                                   |                                                                                    |              |
|                  |      |                                                                                   |                                                                                    |              |
|                  |      |                                                                                   |                                                                                    | 6D125E       |
|                  |      |                                                                                   |                                                                                    |              |
|                  |      |                                                                                   |                                                                                    |              |
|                  |      |                                                                                   |                                                                                    |              |
|                  |      |                                                                                   |                                                                                    |              |
|                  |      |                                                                                   |                                                                                    |              |
| Voltage          | 24V  | Mounting size                                                                     | STRP8311-2                                                                         |              |
|                  |      |  |  |              |
| Power            | 11Kw |                                                                                   |                                                                                    |              |
|                  |      |                                                                                   |                                                                                    |              |
| Teeth            | 12   |                                                                                   |                                                                                    |              |
|                  |      |                                                                                   |                                                                                    |              |
| Pinion diameter  | 46mm |                                                                                   |                                                                                    |              |
|                  |      |                                                                                   |                                                                                    |              |
| Engagement       | 92mm |                                                                                   |                                                                                    |              |
|                  |      |                                                                                   |                                                                                    |              |
| Reference number |      |                                                                                   |                                                                                    | Applications |
|                  |      |                                                                                   |                                                                                    | 6D125E       |
|                  |      |                                                                                   |                                                                                    |              |
|                  |      |                                                                                   |                                                                                    |              |
|                  |      |                                                                                   |                                                                                    |              |
|                  |      |                                                                                   |                                                                                    |              |
|                  |      |                                                                                   |                                                                                    |              |


|                  |                                                                   |                                                                                     |                                                                                      |  |
|------------------|-------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V                                                               | Mounting size                                                                       | STRP8166                                                                             |  |
| Power            | 4.5Kw                                                             |  |  |  |
| Teeth            | 9                                                                 |                                                                                     |                                                                                      |  |
| Pinion diameter  | 35mm                                                              |                                                                                     |                                                                                      |  |
| Engagement       | 95mm                                                              |                                                                                     |                                                                                      |  |
|                  |                                                                   |                                                                                     |                                                                                      |  |
| Reference number |                                                                   |                                                                                     | Applications                                                                         |  |
| ISUZU            | 8970298630,8970298631,8970298633,8970298634                       |                                                                                     | SK120 Engine<br>4D95/4BD1/4BC2                                                       |  |
| JCB              | 71424400,71425200,71429900,71435900                               |                                                                                     |                                                                                      |  |
| LUCAS            | LRS01910,LRS1910                                                  |                                                                                     |                                                                                      |  |
| NIKKO            | 0230002100,0230002101,0230002102,0230002103,0230002540,0230002541 |                                                                                     |                                                                                      |  |
| WOOD AUTO        | STR29007                                                          |                                                                                     |                                                                                      |  |
|                  |                                                                   |                                                                                     |                                                                                      |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|                  |                                                                    |                                                                                   |                                                                                    |                                                                                     |
|------------------|--------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Voltage          | 24V                                                                | Mounting size                                                                     | STRP8606                                                                           |                                                                                     |
| Power            | 3.5Kw                                                              |  |  |  |
| Teeth            | 9                                                                  |                                                                                   |                                                                                    |                                                                                     |
| Pinion diameter  | 35mm                                                               |                                                                                   |                                                                                    |                                                                                     |
| Engagement       | 95mm                                                               |                                                                                   |                                                                                    |                                                                                     |
|                  |                                                                    |                                                                                   |                                                                                    |                                                                                     |
| Reference number |                                                                    |                                                                                   | Applications                                                                       |                                                                                     |
| ISUZU            | 8944467700                                                         |                                                                                   | EX120 SH120 Engine<br>4D95/4BD1/4BC2                                               |                                                                                     |
| KOMATSU          | 6008133111,6008133130,6008133170,6008133171,3008134410,3008134411  |                                                                                   |                                                                                    |                                                                                     |
| NIKKO            | 0230000040,0230000042,0230000060,0230000100,0230000240,0230000330, |                                                                                   |                                                                                    |                                                                                     |
|                  | 0230000332                                                         |                                                                                   |                                                                                    |                                                                                     |
| WOOD AUTO        | STR29003                                                           |                                                                                   |                                                                                    |                                                                                     |
|                  |                                                                    |                                                                                   |                                                                                    |                                                                                     |
|                  |                                                                    |                                                                                   |                                                                                    |                                                                                     |


|                  |       |                                                                                    |                                                                                     |  |
|------------------|-------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
| Voltage          | 24V   | Mounting size                                                                      | STRP8659                                                                            |  |
| Power            | 5.5Kw |  |  |  |
| Teeth            | 10    |                                                                                    |                                                                                     |  |
| Pinion diameter  | 40mm  |                                                                                    |                                                                                     |  |
| Engagement       | 89mm  |                                                                                    |                                                                                     |  |
|                  |       |                                                                                    |                                                                                     |  |
| Reference number |       |                                                                                    | Applications                                                                        |  |
|                  |       | CUMMINS Engine<br><br>6BT5.9                                                       |                                                                                     |  |
|                  |       |                                                                                    |                                                                                     |  |
|                  |       |                                                                                    |                                                                                     |  |
|                  |       |                                                                                    |                                                                                     |  |
|                  |       |                                                                                    |                                                                                     |  |
|                  |       |                                                                                    |                                                                                     |  |
|                  |       |                                                                                    |                                                                                     |  |


|                  |                                           |                                                                                     |                                                                                      |  |
|------------------|-------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 12V                                       | Mounting size                                                                       | STRP8340                                                                             |  |
| Power            | 1.4Kw                                     |  |  |  |
| Teeth            | 11                                        |                                                                                     |                                                                                      |  |
| Pinion diameter  | 35mm                                      |                                                                                     |                                                                                      |  |
| Engagement       | 78mm                                      |                                                                                     |                                                                                      |  |
|                  |                                           |                                                                                     |                                                                                      |  |
| Reference number |                                           |                                                                                     | Applications                                                                         |  |
| HITACHI          | S114815,S114815A,S114817,S114817A,S114883 |                                                                                     |                                                                                      |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|        |                                     |                  |
|--------|-------------------------------------|------------------|
| LUCAS  | LRS01531,LRS01617,LRS1531,LRS1617   | PC30/PC40 Engine |
| YANMAR | 12960877010,12960877011,12969877010 |                  |
|        |                                     |                  |
|        |                                     |                  |
|        |                                     |                  |


|                  |       |                                                                                   |                                                                                    |  |
|------------------|-------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Voltage          | 24V   | Mounting size                                                                     | STRW8131                                                                           |  |
| Power            | 4.5Kw |  |  |  |
| Teeth            | 11    |                                                                                   |                                                                                    |  |
| Pinion diameter  | 40mm  |                                                                                   |                                                                                    |  |
| Engagement       | 105mm |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
| Reference number |       |                                                                                   | Applications                                                                       |  |
|                  |       |                                                                                   | ISUZU 6BD1 Engine                                                                  |  |
|                  |       |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |
|                  |       |                                                                                   |                                                                                    |  |


|                  |               |                                                                                     |                                                                                      |  |
|------------------|---------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V           | Mounting size                                                                       | STRW8681                                                                             |  |
| Power            | 7.5Kw         |  |  |  |
| Teeth            | 11            |                                                                                     |                                                                                      |  |
| Pinion diameter  | 40mm          |                                                                                     |                                                                                      |  |
| Engagement       | 105mm         |                                                                                     |                                                                                      |  |
|                  |               |                                                                                     |                                                                                      |  |
| Reference number |               |                                                                                     | Applications                                                                         |  |
| ISUZU            | 1-81100-246-1 | 6SD1,6SA1                                                                           |                                                                                      |  |
| LESTER           | 19516         |                                                                                     |                                                                                      |  |
| PIC              | 190-740       |                                                                                     |                                                                                      |  |
| AES              | S9103N        |                                                                                     |                                                                                      |  |
| AES              | S9103N        |                                                                                     |                                                                                      |  |
|                  |               |                                                                                     |                                                                                      |  |
|                  |               |                                                                                     |                                                                                      |  |


**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**





|                  |                                                                   |                                                                                   |                                                                                    |  |         |
|------------------|-------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|---------|
| Voltage          | 24V                                                               | Mounting size                                                                     | STRB8368                                                                           |  |         |
| Power            | 4.0Kw                                                             |  |  |  |         |
| Teeth            | 9                                                                 |                                                                                   |                                                                                    |  |         |
| Pinion diameter  | 35mm                                                              |                                                                                   |                                                                                    |  |         |
| Engagement       | 89mm                                                              |                                                                                   |                                                                                    |  |         |
|                  |                                                                   |                                                                                   |                                                                                    |  |         |
| Reference number |                                                                   |                                                                                   | Applications                                                                       |  |         |
| BOSCH            | 0001360012,0001360014,0001360019,0001360030,0001360031,0001360035 |                                                                                   | EC210/240                                                                          |  |         |
|                  | 0001368001,0001368007,0001368008,0986011270,1127                  |                                                                                   |                                                                                    |  |         |
| FIAT/WARELLI     | 943252205                                                         |                                                                                   |                                                                                    |  |         |
| HATZ             | 05710903                                                          |                                                                                   |                                                                                    |  |         |
| LUCAS            | LRS00923,LRS923                                                   |                                                                                   |                                                                                    |  |         |
| KHD              | 1194995                                                           | VALEO                                                                             |                                                                                    |  | 455516  |
| WOOD AUTO        | STR22008                                                          | VOLVO                                                                             |                                                                                    |  | 6209190 |

|                  |                   |                                                                                    |                                                                                     |  |
|------------------|-------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
| Voltage          | 12V               | Mounting size                                                                      | STRL8500                                                                            |  |
| Power            | 3.0Kw             |  |  |  |
| Teeth            | 10                |                                                                                    |                                                                                     |  |
| Pinion diameter  | 40mm              |                                                                                    |                                                                                     |  |
| Engagement       | 95mm              |                                                                                    |                                                                                     |  |
|                  |                   |                                                                                    |                                                                                     |  |
| Reference number |                   |                                                                                    | Applications                                                                        |  |
| DENSO            | 0740000000        |                                                                                    | DSN043                                                                              |  |
| FIAT/WARELLI     | 63280041          |                                                                                    |                                                                                     |  |
| JCB              | 71440231,71440531 |                                                                                    |                                                                                     |  |
| LUCAS            | LRS02425,LRS2425  |                                                                                    |                                                                                     |  |
| PERKINS          | 2872K405,2873K405 |                                                                                    |                                                                                     |  |
| WOOD AUTO        | STR52056          |                                                                                    |                                                                                     |  |
|                  |                   |                                                                                    |                                                                                     |  |

|                  |            |                                                                                     |                                                                                      |  |
|------------------|------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 12V        | Mounting size                                                                       | STRL8501                                                                             |  |
| Power            | 3.0Kw      |  |  |  |
| Teeth            | 10         |                                                                                     |                                                                                      |  |
| Pinion diameter  | 40mm       |                                                                                     |                                                                                      |  |
| Engagement       | 89mm       |                                                                                     |                                                                                      |  |
|                  |            |                                                                                     |                                                                                      |  |
| Reference number |            |                                                                                     | Applications                                                                         |  |
| DENSO            | 0740001000 |                                                                                     |                                                                                      |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|                  |                                |               |                                                                                                                                                                                           |
|------------------|--------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FIAT/WARELLI     | 63280040                       |               | DSN044                                                                                                                                                                                    |
| LUCAS            | LRS02206,LRS2206               |               |                                                                                                                                                                                           |
| MASSEY FERGUS    | 3784889M2,3784890M1,3823621M91 |               |                                                                                                                                                                                           |
| PERKINS          | 2872K404,2873K404,2873K632     |               |                                                                                                                                                                                           |
| WOOD AUTO        | STR52055                       |               |                                                                                                                                                                                           |
|                  |                                |               |                                                                                                                                                                                           |
| Voltage          | 24V                            | Mounting size | <b>STRH8113</b><br>  |
|                  |                                |               |                                                                                                                                                                                           |
| Power            | 5.5Kw                          |               |                                                                                                                                                                                           |
|                  |                                |               |                                                                                                                                                                                           |
| Teeth            | 11                             |               |                                                                                                                                                                                           |
|                  |                                |               |                                                                                                                                                                                           |
| Pinion diameter  | 48mm                           |               |                                                                                                                                                                                           |
|                  |                                |               |                                                                                                                                                                                           |
| Engagement       |                                |               |                                                                                                                                                                                           |
|                  |                                |               |                                                                                                                                                                                           |
|                  |                                |               |                                                                                                                                                                                           |
| Reference number |                                |               | Applications                                                                                                                                                                              |
| DENSO            | 03656020018                    |               | Hino500                                                                                                                                                                                   |
| HINO             | 28100-2865                     |               |                                                                                                                                                                                           |
|                  |                                |               |                                                                                                                                                                                           |
| SAWAFUJI         |                                |               |                                                                                                                                                                                           |
|                  |                                |               |                                                                                                                                                                                           |

|                  |       |               |                                                                                                                                                                            |              |
|------------------|-------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| Voltage          | 12V   | Mounting size | STRH8303                                                                                                                                                                   |              |
|                  |       |               |   |              |
| Power            | 1.7Kw |               |                                                                                                                                                                            |              |
|                  |       |               |                                                                                                                                                                            |              |
| Teeth            | 13    |               |                                                                                                                                                                            |              |
|                  |       |               |                                                                                                                                                                            |              |
| Pinion diameter  | 40mm  |               |                                                                                                                                                                            |              |
|                  |       |               |                                                                                                                                                                            |              |
| Engagement       |       |               |                                                                                                                                                                            |              |
|                  |       |               |                                                                                                                                                                            |              |
| Reference number |       |               |                                                                                                                                                                            | Applications |
| DENSO            |       |               |                                                                                                                                                                            | E304         |
| HINO             |       |               |                                                                                                                                                                            |              |
| SAWAFUJI         |       |               |                                                                                                                                                                            |              |
|                  |       |               |                                                                                                                                                                            |              |

|                 |       |                                                                                                                                                                            |          |
|-----------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Voltage         | 24V   | Mounting size                                                                                                                                                              | STRH8332 |
|                 |       |   |          |
| Power           | 4.5Kw |                                                                                                                                                                            |          |
|                 |       |                                                                                                                                                                            |          |
| Teeth           | 11    |                                                                                                                                                                            |          |
|                 |       |                                                                                                                                                                            |          |
| Pinion diameter | 40mm  |                                                                                                                                                                            |          |
|                 |       |                                                                                                                                                                            |          |
| Engagement      |       |                                                                                                                                                                            |          |
|                 |       |                                                                                                                                                                            |          |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



| Reference number |         | Applications |
|------------------|---------|--------------|
| DENSO            | S25-158 | TD42 EX60-3  |
| HINO             |         |              |
|                  |         |              |
| SAWAFUJI         |         |              |
|                  |         |              |

| Voltage         | 24V   | Mounting size | STRM8235                                                                           |  |
|-----------------|-------|---------------|------------------------------------------------------------------------------------|--|
| Power           | 6.0Kw |               |  |  |
| Teeth           | 12    |               |                                                                                    |  |
| Pinion diameter | 44mm  |               |                                                                                    |  |
| Engagement      |       |               |                                                                                    |  |
|                 |       |               |                                                                                    |  |

| Reference number |            | Applications |
|------------------|------------|--------------|
| DENSO            | M009T20471 | SY245        |
| HINO             |            |              |
|                  |            |              |
| SAWAFUJI         |            |              |
|                  |            |              |

| Voltage         | 24V    | Mounting size | STRM8375                                                                             |  |
|-----------------|--------|---------------|--------------------------------------------------------------------------------------|--|
| Power           | 8.0Kw  |               |  |  |
| Teeth           | 11     |               |                                                                                      |  |
| Pinion diameter | 56.5mm |               |                                                                                      |  |
| Engagement      |        |               |                                                                                      |  |
|                 |        |               |                                                                                      |  |

| Reference number |          | Applications |
|------------------|----------|--------------|
| DENSO            | 8200040  | M11 NT855    |
| HINO             | 10461753 |              |
|                  |          |              |
| SAWAFUJI         |          |              |
|                  |          |              |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**





|                  |          |               |                                                                                    |  |
|------------------|----------|---------------|------------------------------------------------------------------------------------|--|
| Voltage          | 24V      | Mounting size | STRM8376                                                                           |  |
| Power            | 8.0Kw    |               |  |  |
| Teeth            | 11       |               |                                                                                    |  |
| Pinion diameter  | 43.5mm   |               |                                                                                    |  |
| Engagement       |          |               |                                                                                    |  |
|                  |          |               |                                                                                    |  |
|                  |          |               |                                                                                    |  |
| Reference number |          |               | Applications                                                                       |  |
| DENSO            | 82000436 | E323          |                                                                                    |  |
| HINO             | 82000519 |               |                                                                                    |  |
|                  |          |               |                                                                                    |  |
| SAWAFUJI         |          |               |                                                                                    |  |
|                  |          |               |                                                                                    |  |

|                  |             |               |                                                                                     |  |
|------------------|-------------|---------------|-------------------------------------------------------------------------------------|--|
| Voltage          | 24V         | Mounting size | STRM8450                                                                            |  |
|                  |             |               |  |  |
| Power            | 5.0Kw       |               |                                                                                     |  |
|                  |             |               |                                                                                     |  |
| Teeth            | 11          |               |                                                                                     |  |
|                  |             |               |                                                                                     |  |
| Pinion diameter  | 41mm        |               |                                                                                     |  |
|                  |             |               |                                                                                     |  |
| Engagement       |             |               |                                                                                     |  |
|                  |             |               |                                                                                     |  |
| Reference number |             |               | Applications                                                                        |  |
| DENSO            | M1TM8T62371 |               | 4M50                                                                                |  |
| HINO             |             |               |                                                                                     |  |
|                  |             |               |                                                                                     |  |
| SAWAFUJI         |             |               |                                                                                     |  |
|                  |             |               |                                                                                     |  |
|                  |             |               |                                                                                     |  |

|                  |        |                                                                                      |              |  |
|------------------|--------|--------------------------------------------------------------------------------------|--------------|--|
| Voltage          | 24V    | Mounting size                                                                        | STRN8104     |  |
|                  |        |  |              |  |
| Power            | 4.5Kw  |                                                                                      |              |  |
|                  |        |                                                                                      |              |  |
| Teeth            | 11     |                                                                                      |              |  |
|                  |        |                                                                                      |              |  |
| Pinion diameter  | 40mm   |                                                                                      |              |  |
|                  |        |                                                                                      |              |  |
| Engagement       |        |                                                                                      |              |  |
|                  |        |                                                                                      |              |  |
| Reference number |        |                                                                                      | Applications |  |
| DENSO            | S25505 |                                                                                      |              |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|          |         |        |
|----------|---------|--------|
| HINO     | S255015 | 4HF1ND |
|          |         |        |
| SAWAFUJI |         |        |
|          |         |        |

| Voltage         | 24V   | Mounting size                                                                      | STRN8105 |
|-----------------|-------|------------------------------------------------------------------------------------|----------|
| Power           | 4.5Kw |  |          |
| Teeth           | 11    |                                                                                    |          |
| Pinion diameter | 40mm  |                                                                                    |          |
| Engagement      |       |                                                                                    |          |
|                 |       |                                                                                    |          |
|                 |       |                                                                                    |          |

| Reference number |          | Applications |
|------------------|----------|--------------|
| DENSO            | M8T85372 | 4HF1         |
| HINO             |          |              |
|                  |          |              |
| SAWAFUJI         |          |              |
|                  |          |              |

| Voltage         | 12V   | Mounting size                                                                        | STRN8106 |
|-----------------|-------|--------------------------------------------------------------------------------------|----------|
| Power           | 2.5Kw |  |          |
| Teeth           | 10    |                                                                                      |          |
| Pinion diameter | 40mm  |                                                                                      |          |
| Engagement      |       |                                                                                      |          |
|                 |       |                                                                                      |          |
|                 |       |                                                                                      |          |

| Reference number |         | Applications |
|------------------|---------|--------------|
| DENSO            | 1121767 | CS580M       |
| HINO             | 1430538 |              |
|                  |         |              |
| SAWAFUJI         |         |              |
|                  |         |              |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|                  |             |               |                                                                                    |                                                                                    |
|------------------|-------------|---------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| Voltage          | 12V         | Mounting size | STRN8107                                                                           |                                                                                    |
|                  |             |               |  |  |
| Power            | 2.5Kw       |               |                                                                                    |                                                                                    |
|                  |             |               |                                                                                    |                                                                                    |
| Teeth            | 11          |               |                                                                                    |                                                                                    |
|                  |             |               |                                                                                    |                                                                                    |
| Pinion diameter  | 40mm        |               |                                                                                    |                                                                                    |
|                  |             |               |                                                                                    |                                                                                    |
| Engagement       |             |               |                                                                                    |                                                                                    |
|                  |             |               |                                                                                    |                                                                                    |
| Reference number |             |               |                                                                                    | Applications                                                                       |
| DENSO            | 228000-5810 |               |                                                                                    |                                                                                    |
| HINO             | 11 TR70067  |               |                                                                                    |                                                                                    |
|                  |             |               |                                                                                    |                                                                                    |
| SAWAFUJI         |             |               |                                                                                    |                                                                                    |
|                  |             |               |                                                                                    |                                                                                    |
|                  |             |               |                                                                                    |                                                                                    |
|                  |             |               |                                                                                    |                                                                                    |

|                  |             |                                                                                      |                                                                                      |  |
|------------------|-------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V         | Mounting size                                                                        | STRN8108                                                                             |  |
|                  |             |  |                                                                                      |  |
| Power            | 4.5Kw       |                                                                                      |                                                                                      |  |
|                  |             |                                                                                      |                                                                                      |  |
| Teeth            | 11          |                                                                                      |                                                                                      |  |
|                  |             |                                                                                      |                                                                                      |  |
| Pinion diameter  | 40mm        |                                                                                      |                                                                                      |  |
|                  |             |                                                                                      |                                                                                      |  |
| Engagement       |             |                                                                                      |                                                                                      |  |
|                  |             |                                                                                      |                                                                                      |  |
| Reference number |             |                                                                                      | Applications                                                                         |  |
| DENSO            | 128000-8064 |                                                                                      |  |  |
| HINO             | 24000-3000  |                                                                                      |                                                                                      |  |
|                  |             |                                                                                      |                                                                                      |  |
| SAWAFUJI         |             |                                                                                      |                                                                                      |  |
|                  |             |                                                                                      |                                                                                      |  |
|                  |             |                                                                                      |                                                                                      |  |
|                  |             |                                                                                      |                                                                                      |  |

|                  |             |                                                                                      |              |  |
|------------------|-------------|--------------------------------------------------------------------------------------|--------------|--|
| Voltage          | 24V         | Mounting size                                                                        | STRN8109     |  |
|                  |             |  |              |  |
| Power            | 4.5Kw       |                                                                                      |              |  |
|                  |             |                                                                                      |              |  |
| Teeth            | 11          |                                                                                      |              |  |
|                  |             |                                                                                      |              |  |
| Pinion diameter  | 40mm        |                                                                                      |              |  |
|                  |             |                                                                                      |              |  |
| Engagement       |             |                                                                                      |              |  |
|                  |             |                                                                                      |              |  |
| Reference number |             |                                                                                      | Applications |  |
| DENSO            | 128000-4783 |                                                                                      |              |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**





|          |  |       |
|----------|--|-------|
| HINO     |  | 4D102 |
|          |  |       |
| SAWAFUJI |  |       |
|          |  |       |

|                 |       |                                                                                    |                 |
|-----------------|-------|------------------------------------------------------------------------------------|-----------------|
| Voltage         | 24V   | Mounting size                                                                      | <b>STRN8121</b> |
|                 |       |  |                 |
| Power           | 4.5Kw |                                                                                    |                 |
|                 |       |                                                                                    |                 |
| Teeth           | 11    |                                                                                    |                 |
|                 |       |                                                                                    |                 |
| Pinion diameter | 40mm  |                                                                                    |                 |
|                 |       |                                                                                    |                 |
| Engagement      |       |                                                                                    |                 |
|                 |       |                                                                                    |                 |

| Reference number |            | Applications |
|------------------|------------|--------------|
| DENSO            | 0280005530 |              |
| HINO             | 0280005690 |              |
|                  |            |              |
| SAWAFUJI         |            |              |
|                  |            |              |
|                  |            |              |

|                 |       |                                                                                      |                 |
|-----------------|-------|--------------------------------------------------------------------------------------|-----------------|
| Voltage         | 24V   | Mounting size                                                                        | <b>STRN8291</b> |
|                 |       |  |                 |
| Power           | 5.0Kw |                                                                                      |                 |
|                 |       |                                                                                      |                 |
| Teeth           | 11    |                                                                                      |                 |
|                 |       |                                                                                      |                 |
| Pinion diameter | 40mm  |                                                                                      |                 |
|                 |       |                                                                                      |                 |
| Engagement      |       |                                                                                      |                 |
|                 |       |                                                                                      |                 |

| Reference number |              | Applications |
|------------------|--------------|--------------|
| DENSO            | 300516-00042 | DX225        |
| HINO             | STR80125     |              |
|                  |              |              |
| SAWAFUJI         |              |              |
|                  |              |              |
|                  |              |              |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|                  |             |               |                                                                                    |  |
|------------------|-------------|---------------|------------------------------------------------------------------------------------|--|
| Voltage          | 24V         | Mounting size | <b>STRN8292</b>                                                                    |  |
|                  |             |               |  |  |
| Power            | 5.0Kw       |               |                                                                                    |  |
|                  |             |               |                                                                                    |  |
| Teeth            | 11          |               |                                                                                    |  |
|                  |             |               |                                                                                    |  |
| Pinion diameter  | 40mm        |               |                                                                                    |  |
|                  |             |               |                                                                                    |  |
| Engagement       |             |               |                                                                                    |  |
|                  |             |               |                                                                                    |  |
| Reference number |             |               | Applications                                                                       |  |
| DENSO            | 36100-52000 |               | 29MT DX120                                                                         |  |
| HINO             |             |               |                                                                                    |  |
|                  |             |               |                                                                                    |  |
| SAWAFUJI         |             |               |                                                                                    |  |
|                  |             |               |                                                                                    |  |
|                  |             |               |                                                                                    |  |

|                  |             |               |                                                                                     |  |
|------------------|-------------|---------------|-------------------------------------------------------------------------------------|--|
| Voltage          | 12V         | Mounting size | <b>STRN8520</b>                                                                     |  |
|                  |             |               |  |  |
| Power            | 2.5Kw       |               |                                                                                     |  |
|                  |             |               |                                                                                     |  |
| Teeth            | 11          |               |                                                                                     |  |
|                  |             |               |                                                                                     |  |
| Pinion diameter  | 40mm        |               |                                                                                     |  |
|                  |             |               |                                                                                     |  |
| Engagement       |             |               |                                                                                     |  |
|                  |             |               |                                                                                     |  |
| Reference number |             |               | Applications                                                                        |  |
| DENSO            | 028000-9040 |               | 13B 14B                                                                             |  |
| HINO             | 128000-1561 |               |                                                                                     |  |
|                  |             |               |                                                                                     |  |
| SAWAFUJI         |             |               |                                                                                     |  |
|                  |             |               |                                                                                     |  |
|                  |             |               |                                                                                     |  |

|                  |             |               |                                                                                      |  |
|------------------|-------------|---------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V         | Mounting size | <b>STRN8582</b>                                                                      |  |
|                  |             |               |  |  |
| Power            | 4.5Kw       |               |                                                                                      |  |
|                  |             |               |                                                                                      |  |
| Teeth            | 10          |               |                                                                                      |  |
|                  |             |               |                                                                                      |  |
| Pinion diameter  | 40mm        |               |                                                                                      |  |
|                  |             |               |                                                                                      |  |
| Engagement       |             |               |                                                                                      |  |
|                  |             |               |                                                                                      |  |
| Reference number |             |               | Applications                                                                         |  |
| DENSO            | 228000-5640 |               |                                                                                      |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|          |          |           |
|----------|----------|-----------|
| HINO     | 42498174 | CASE 7120 |
|          |          |           |
| SAWAFUJI |          |           |
|          |          |           |

|                 |       |                                                                                    |          |
|-----------------|-------|------------------------------------------------------------------------------------|----------|
| Voltage         | 24V   | Mounting size                                                                      | STRN8840 |
| Power           | 4.8Kw |  |          |
| Teeth           | 10    |                                                                                    |          |
| Pinion diameter | 40mm  |                                                                                    |          |
| Engagement      |       |                                                                                    |          |
|                 |       |                                                                                    |          |

| Reference number |             | Applications |
|------------------|-------------|--------------|
| DENSO            | 428000-7100 | 柳工150        |
| HINO             |             |              |
|                  |             |              |
| SAWAFUJI         |             |              |
|                  |             |              |

|                 |       |                                                                                      |          |
|-----------------|-------|--------------------------------------------------------------------------------------|----------|
| Voltage         | 24V   | Mounting size                                                                        | STRN8862 |
| Power           | 6.0Kw |  |          |
| Teeth           | 10    |                                                                                      |          |
| Pinion diameter | 40mm  |                                                                                      |          |
| Engagement      |       |                                                                                      |          |
|                 |       |                                                                                      |          |

| Reference number |             | Applications |
|------------------|-------------|--------------|
| DENSO            | 128000-4250 | 4HF1ND       |
| HINO             |             |              |
|                  |             |              |
| SAWAFUJI         |             |              |
|                  |             |              |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|                  |            |                                                                                    |                 |  |
|------------------|------------|------------------------------------------------------------------------------------|-----------------|--|
| Voltage          | 24V        | Mounting size                                                                      | <b>STRP8202</b> |  |
| Power            | 7.5Kw      |  |                 |  |
| Teeth            | 12         |                                                                                    |                 |  |
| Pinion diameter  | 46mm       |                                                                                    |                 |  |
| Engagement       |            |                                                                                    |                 |  |
|                  |            |                                                                                    |                 |  |
|                  |            |                                                                                    |                 |  |
| Reference number |            |                                                                                    | Applications    |  |
| DENSO            | 6008133632 |                                                                                    | S6D125 PC300-6  |  |
| HINO             | 0230003281 |                                                                                    |                 |  |
|                  |            |                                                                                    |                 |  |
| SAWAFUJI         |            |                                                                                    |                 |  |
|                  |            |                                                                                    |                 |  |

|                  |            |               |                                                                                     |              |
|------------------|------------|---------------|-------------------------------------------------------------------------------------|--------------|
| Voltage          | 24V        | Mounting size | STRP8312                                                                            |              |
|                  |            |               |  |              |
| Power            | 11Kw       |               |                                                                                     |              |
|                  |            |               |                                                                                     |              |
| Teeth            | 11         |               |                                                                                     |              |
|                  |            |               |                                                                                     |              |
| Pinion diameter  | 56mm       |               |                                                                                     |              |
|                  |            |               |                                                                                     |              |
| Engagement       |            |               |                                                                                     |              |
|                  |            |               |                                                                                     |              |
| Reference number |            |               |                                                                                     | Applications |
| DENSO            | 3517620812 |               |                                                                                     | PC600        |
| HINO             |            |               |                                                                                     |              |
|                  |            |               |                                                                                     |              |
| SAWAFUJI         |            |               |                                                                                     |              |
|                  |            |               |                                                                                     |              |
|                  |            |               |                                                                                     |              |

|                  |       |               |                                                                                      |  |
|------------------|-------|---------------|--------------------------------------------------------------------------------------|--|
| Voltage          | 24V   | Mounting size | <b>STRN8313</b>                                                                      |  |
| Power            | 4.5Kw |               |  |  |
| Teeth            | 10    |               |                                                                                      |  |
| Pinion diameter  | 40mm  |               |                                                                                      |  |
| Engagement       |       |               |                                                                                      |  |
|                  |       |               |                                                                                      |  |
|                  |       |               |                                                                                      |  |
| Reference number |       |               | Applications                                                                         |  |

**CONTACT: Mr. Gordon Liu**  
**eMail: [waiglobal.asia@gmail.com](mailto:waiglobal.asia@gmail.com)**  
**cell: +86-13501667113 (wechat / WhatsApp)**



|          |             |       |
|----------|-------------|-------|
| DENSO    | 228000-1830 | E312D |
| HINO     | LRS02594    |       |
|          |             |       |
| SAWAFUJI |             |       |
|          |             |       |

| Voltage         | 12V   | Mounting size | STRN8416                                                                           |
|-----------------|-------|---------------|------------------------------------------------------------------------------------|
|                 |       |               |  |
| Power           | 2.5Kw |               |                                                                                    |
|                 |       |               |                                                                                    |
| Teeth           | 10    |               |                                                                                    |
|                 |       |               |                                                                                    |
| Pinion diameter | 40mm  |               |                                                                                    |
|                 |       |               |                                                                                    |
| Engagement      |       |               |                                                                                    |
|                 |       |               |                                                                                    |

| Reference number |             | Applications |
|------------------|-------------|--------------|
| DENSO            | 228000-1422 | CAT416B      |
| HINO             | 190-25113   |              |
|                  |             |              |
| SAWAFUJI         |             |              |
|                  |             |              |

**CONTACT: Mr. Gordon Liu**  
**eMail: waiglobal.asia@gmail.com**  
**cell: +86-13501667113 (wechat / WhatsApp)**